

## Steel Wire Rope verostar 8

### Product information



**Wire rope construction:** Verostar 8 is a 8 strand non-rotation-resistant rope made out of conventional strands, plastic layer between the inner and outer strands.

**Features:**

- High breaking strength
- Very stable rope structure and achieves good bending fatigue results
- Achieves best service life in reeving systems with single layer drums

**ISO 4309**

**Rope Category No:** Up to 42mm RCN.09, 43-48mm RCN.11, > 48mm RCN.13

**Marking:** According to standard

**Standard:** EN 12385-4


**Warning:** verostar 8 may not be used with a swivel.

**Fill factor:** 0.61

**RCN:** 09

**Tolerance Ø:** +2% to +4%

Overhead cranes



Tower crane



Container crane



Mobile port crane



Loading crane



Piling crane



Ladle crane



STS crane



Straddle carrier



RTG



Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.B26VSR080E	8	1,770	31	47.9	Bright	sS	28
01.B11VSR080E	8	1,770	31	47.9	Bright	sZ	28
01.B21VSR080E	8	1,770	31	47.9	Bright	zS	28
01.B16VSR080E	8	1,770	31	47.9	Bright	zZ	28
01.G26VSR080E	8	1,770	31	47.9	Galvanized	sS	28
01.G11VSR080E	8	1,770	31	47.9	Galvanized	sZ	28
01.G21VSR080E	8	1,770	31	47.9	Galvanized	zS	28
01.G16VSR080E	8	1,770	31	47.9	Galvanized	zZ	28
01.B26VSR080G	8	1,960	31	53	Bright	sS	28
01.B11VSR080G	8	1,960	31	53	Bright	sZ	28
01.B21VSR080G	8	1,960	31	53	Bright	zS	28
01.B16VSR080G	8	1,960	31	53	Bright	zZ	28
01.G26VSR080G	8	1,960	31	53	Galvanized	sS	28
01.G11VSR080G	8	1,960	31	53	Galvanized	sZ	28
01.G21VSR080G	8	1,960	31	53	Galvanized	zS	28
01.G16VSR080G	8	1,960	31	53	Galvanized	zZ	28
01.B26VSR090E	9	1,770	39	60.6	Bright	sS	35
01.B11VSR090E	9	1,770	39	60.6	Bright	sZ	35

01.B21VSR090E	9	1,770	39	60.6	Bright	zS	35
01.B16VSR090E	9	1,770	39	60.6	Bright	zZ	35
01.G26VSR090E	9	1,770	39	60.6	Galvanized	sS	35
01.G11VSR090E	9	1,770	39	60.6	Galvanized	sZ	35
01.G21VSR090E	9	1,770	39	60.6	Galvanized	zS	35
01.G16VSR090E	9	1,770	39	60.6	Galvanized	zZ	35
01.B26VSR090G	9	1,960	39	67.1	Bright	sS	35
01.B11VSR090G	9	1,960	39	67.1	Bright	sZ	35
01.B21VSR090G	9	1,960	39	67.1	Bright	zS	35
01.B16VSR090G	9	1,960	39	67.1	Bright	zZ	35
01.G26VSR090G	9	1,960	39	67.1	Galvanized	sS	35
01.G11VSR090G	9	1,960	39	67.1	Galvanized	sZ	35
01.G21VSR090G	9	1,960	39	67.1	Galvanized	zS	35
01.G16VSR090G	9	1,960	39	67.1	Galvanized	zZ	35
01.B26VSR100E	10	1,770	48	74.8	Bright	sS	43
01.B11VSR100E	10	1,770	48	74.8	Bright	sZ	43
01.B21VSR100E	10	1,770	48	74.8	Bright	zS	43
01.B16VSR100E	10	1,770	48	74.8	Bright	zZ	43
01.G26VSR100E	10	1,770	48	74.8	Galvanized	sS	43
01.G11VSR100E	10	1,770	48	74.8	Galvanized	sZ	43
01.G21VSR100E	10	1,770	48	74.8	Galvanized	zS	43
01.G16VSR100E	10	1,770	48	74.8	Galvanized	zZ	43
01.B26VSR100G	10	1,960	48	82.8	Bright	sS	43

01.B11VSR100G	10	1,960	48	82.8	Bright	sZ	43
01.B21VSR100G	10	1,960	48	82.8	Bright	zS	43
01.B16VSR100G	10	1,960	48	82.8	Bright	zZ	43
01.G26VSR100G	10	1,960	48	82.8	Galvanized	sS	43
01.G11VSR100G	10	1,960	48	82.8	Galvanized	sZ	43
01.G21VSR100G	10	1,960	48	82.8	Galvanized	zS	43
01.G16VSR100G	10	1,960	48	82.8	Galvanized	zZ	43
01.B26VSR110E	11	1,770	58	90.5	Bright	sS	52
01.B11VSR110E	11	1,770	58	90.5	Bright	sZ	52
01.B21VSR110E	11	1,770	58	90.5	Bright	zS	52
01.B16VSR110E	11	1,770	58	90.5	Bright	zZ	52
01.G26VSR110E	11	1,770	58	90.5	Galvanized	sS	52
01.G11VSR110E	11	1,770	58	90.5	Galvanized	sZ	52
01.G21VSR110E	11	1,770	58	90.5	Galvanized	zS	52
01.G16VSR110E	11	1,770	58	90.5	Galvanized	zZ	52
01.B26VSR110G	11	1,960	58	100.2	Bright	sS	52
01.B11VSR110G	11	1,960	58	100.2	Bright	sZ	52
01.B21VSR110G	11	1,960	58	100.2	Bright	zS	52
01.B16VSR110G	11	1,960	58	100.2	Bright	zZ	52
01.G26VSR110G	11	1,960	58	100.2	Galvanized	sS	52
01.G11VSR110G	11	1,960	58	100.2	Galvanized	sZ	52
01.G21VSR110G	11	1,960	58	100.2	Galvanized	zS	52
01.G16VSR110G	11	1,960	58	100.2	Galvanized	zZ	52

01.B26VSR120E	12	1,770	69	107.7	Bright	sS	62
01.B11VSR120E	12	1,770	69	107.7	Bright	sZ	62
01.B21VSR120E	12	1,770	69	107.7	Bright	zS	62
01.B16VSR120E	12	1,770	69	107.7	Bright	zZ	62
01.G26VSR120E	12	1,770	69	107.7	Galvanized	sS	62
01.G11VSR120E	12	1,770	69	107.7	Galvanized	sZ	62
01.G21VSR120E	12	1,770	69	107.7	Galvanized	zS	62
01.G16VSR120E	12	1,770	69	107.7	Galvanized	zZ	62
01.B26VSR120G	12	1,960	69	119.3	Bright	sS	62
01.B11VSR120G	12	1,960	69	119.3	Bright	sZ	62
01.B21VSR120G	12	1,960	69	119.3	Bright	zS	62
01.B16VSR120G	12	1,960	69	119.3	Bright	zZ	62
01.G26VSR120G	12	1,960	69	119.3	Galvanized	sS	62
01.G11VSR120G	12	1,960	69	119.3	Galvanized	sZ	62
01.G21VSR120G	12	1,960	69	119.3	Galvanized	zS	62
01.G16VSR120G	12	1,960	69	119.3	Galvanized	zZ	62
01.B26VSR130E	13	1,770	81	126.4	Bright	sS	73
01.B11VSR130E	13	1,770	81	126.4	Bright	sZ	73
01.B21VSR130E	13	1,770	81	126.4	Bright	zS	73
01.B16VSR130E	13	1,770	81	126.4	Bright	zZ	73
01.G26VSR130E	13	1,770	81	126.4	Galvanized	sS	73
01.G11VSR130E	13	1,770	81	126.4	Galvanized	sZ	73
01.G21VSR130E	13	1,770	81	126.4	Galvanized	zS	73

01.G16VSR130E	13	1,770	81	126.4	Galvanized	zZ	73
01.B26VSR130G	13	1,960	81	140	Bright	sS	73
01.B11VSR130G	13	1,960	81	140	Bright	sZ	73
01.B21VSR130G	13	1,960	81	140	Bright	zS	73
01.B16VSR130G	13	1,960	81	140	Bright	zZ	73
01.G26VSR130G	13	1,960	81	140	Galvanized	sS	73
01.G11VSR130G	13	1,960	81	140	Galvanized	sZ	73
01.G21VSR130G	13	1,960	81	140	Galvanized	zS	73
01.G16VSR130G	13	1,960	81	140	Galvanized	zZ	73
01.B26VSR140E	14	1,770	94	146.6	Bright	sS	85
01.B11VSR140E	14	1,770	94	146.6	Bright	sZ	85
01.B21VSR140E	14	1,770	94	146.6	Bright	zS	85
01.B16VSR140E	14	1,770	94	146.6	Bright	zZ	85
01.G26VSR140E	14	1,770	94	146.6	Galvanized	sS	85
01.G11VSR140E	14	1,770	94	146.6	Galvanized	sZ	85
01.G21VSR140E	14	1,770	94	146.6	Galvanized	zS	85
01.G16VSR140E	14	1,770	94	146.6	Galvanized	zZ	85
01.B26VSR140G	14	1,960	94	162.3	Bright	sS	85
01.B11VSR140G	14	1,960	94	162.3	Bright	sZ	85
01.B21VSR140G	14	1,960	94	162.3	Bright	zS	85
01.B16VSR140G	14	1,960	94	162.3	Bright	zZ	85
01.G26VSR140G	14	1,960	94	162.3	Galvanized	sS	85
01.G11VSR140G	14	1,960	94	162.3	Galvanized	sZ	85

01.G21VSR140G	14	1,960	94	162.3	Galvanized	zS	85
01.G16VSR140G	14	1,960	94	162.3	Galvanized	zZ	85
01.B26VSR150E	15	1,770	108	168.3	Bright	sS	97
01.B11VSR150E	15	1,770	108	168.3	Bright	sZ	97
01.B21VSR150E	15	1,770	108	168.3	Bright	zS	97
01.B16VSR150E	15	1,770	108	168.3	Bright	zZ	97
01.G26VSR150E	15	1,770	108	168.3	Galvanized	sS	97
01.G11VSR150E	15	1,770	108	168.3	Galvanized	sZ	97
01.G21VSR150E	15	1,770	108	168.3	Galvanized	zS	97
01.G16VSR150E	15	1,770	108	168.3	Galvanized	zZ	97
01.B26VSR150G	15	1,960	108	186.3	Bright	sS	97
01.B11VSR150G	15	1,960	108	186.3	Bright	sZ	97
01.B21VSR150G	15	1,960	108	186.3	Bright	zS	97
01.B16VSR150G	15	1,960	108	186.3	Bright	zZ	97
01.G26VSR150G	15	1,960	108	186.3	Galvanized	sS	97
01.G11VSR150G	15	1,960	108	186.3	Galvanized	sZ	97
01.G21VSR150G	15	1,960	108	186.3	Galvanized	zS	97
01.G16VSR150G	15	1,960	108	186.3	Galvanized	zZ	97
01.B26VSR160E	16	1,770	123	191.5	Bright	sS	110
01.B11VSR160E	16	1,770	123	191.5	Bright	sZ	110
01.B21VSR160E	16	1,770	123	191.5	Bright	zS	110
01.B16VSR160E	16	1,770	123	191.5	Bright	zZ	110
01.G26VSR160E	16	1,770	123	191.5	Galvanized	sS	110

01.G11VSR160E	16	1,770	123	191.5	Galvanized	sZ	110
01.G21VSR160E	16	1,770	123	191.5	Galvanized	zS	110
01.G16VSR160E	16	1,770	123	191.5	Galvanized	zZ	110
01.B26VSR160G	16	1,960	123	212	Bright	sS	110
01.B11VSR160G	16	1,960	123	212	Bright	sZ	110
01.B21VSR160G	16	1,960	123	212	Bright	zS	110
01.B16VSR160G	16	1,960	123	212	Bright	zZ	110
01.G26VSR160G	16	1,960	123	212	Galvanized	sS	110
01.G11VSR160G	16	1,960	123	212	Galvanized	sZ	110
01.G21VSR160G	16	1,960	123	212	Galvanized	zS	110
01.G16VSR160G	16	1,960	123	212	Galvanized	zZ	110
01.B26VSR170E	17	1,770	138	216.2	Bright	sS	125
01.B11VSR170E	17	1,770	138	216.2	Bright	sZ	125
01.B21VSR170E	17	1,770	138	216.2	Bright	zS	125
01.B16VSR170E	17	1,770	138	216.2	Bright	zZ	125
01.G26VSR170E	17	1,770	138	216.2	Galvanized	sS	125
01.G11VSR170E	17	1,770	138	216.2	Galvanized	sZ	125
01.G21VSR170E	17	1,770	138	216.2	Galvanized	zS	125
01.G16VSR170E	17	1,770	138	216.2	Galvanized	zZ	125
01.B26VSR170G	17	1,960	138	239.4	Bright	sS	125
01.B11VSR170G	17	1,960	138	239.4	Bright	sZ	125
01.B21VSR170G	17	1,960	138	239.4	Bright	zS	125
01.B16VSR170G	17	1,960	138	239.4	Bright	zZ	125



01.G26VSR170G	17	1,960	138	239.4	Galvanized	sS	125
01.G11VSR170G	17	1,960	138	239.4	Galvanized	sZ	125
01.G21VSR170G	17	1,960	138	239.4	Galvanized	zS	125
01.G16VSR170G	17	1,960	138	239.4	Galvanized	zZ	125
01.B26VSR180E	18	1,770	155	242.3	Bright	sS	140
01.B11VSR180E	18	1,770	155	242.3	Bright	sZ	140
01.B21VSR180E	18	1,770	155	242.3	Bright	zS	140
01.B16VSR180E	18	1,770	155	242.3	Bright	zZ	140
01.G26VSR180E	18	1,770	155	242.3	Galvanized	sS	140
01.G11VSR180E	18	1,770	155	242.3	Galvanized	sZ	140
01.G21VSR180E	18	1,770	155	242.3	Galvanized	zS	140
01.G16VSR180E	18	1,770	155	242.3	Galvanized	zZ	140
01.B26VSR180G	18	1,960	155	268.3	Bright	sS	140
01.B11VSR180G	18	1,960	155	268.3	Bright	sZ	140
01.B21VSR180G	18	1,960	155	268.3	Bright	zS	140
01.B16VSR180G	18	1,960	155	268.3	Bright	zZ	140
01.G26VSR180G	18	1,960	155	268.3	Galvanized	sS	140
01.G11VSR180G	18	1,960	155	268.3	Galvanized	sZ	140
01.G21VSR180G	18	1,960	155	268.3	Galvanized	zS	140
01.G16VSR180G	18	1,960	155	268.3	Galvanized	zZ	140
01.B26VSR190E	19	1,770	173	270	Bright	sS	156
01.B11VSR190E	19	1,770	173	270	Bright	sZ	156
01.B21VSR190E	19	1,770	173	270	Bright	zS	156

01.B16VSR190E	19	1,770	173	270	Bright	zZ	156
01.G26VSR190E	19	1,770	173	270	Galvanized	sS	156
01.G11VSR190E	19	1,770	173	270	Galvanized	sZ	156
01.G21VSR190E	19	1,770	173	270	Galvanized	zS	156
01.G16VSR190E	19	1,770	173	270	Galvanized	zZ	156
01.B26VSR190G	19	1,960	173	299	Bright	sS	156
01.B11VSR190G	19	1,960	173	299	Bright	sZ	156
01.B21VSR190G	19	1,960	173	299	Bright	zS	156
01.B16VSR190G	19	1,960	173	299	Bright	zZ	156
01.G26VSR190G	19	1,960	173	299	Galvanized	sS	156
01.G11VSR190G	19	1,960	173	299	Galvanized	sZ	156
01.G21VSR190G	19	1,960	173	299	Galvanized	zS	156
01.G16VSR190G	19	1,960	173	299	Galvanized	zZ	156
01.B26VSR200E	20	1,770	192	299.2	Bright	sS	173
01.B11VSR200E	20	1,770	192	299.2	Bright	sZ	173
01.B21VSR200E	20	1,770	192	299.2	Bright	zS	173
01.B16VSR200E	20	1,770	192	299.2	Bright	zZ	173
01.G26VSR200E	20	1,770	192	299.2	Galvanized	sS	173
01.G11VSR200E	20	1,770	192	299.2	Galvanized	sZ	173
01.G21VSR200E	20	1,770	192	299.2	Galvanized	zS	173
01.G16VSR200E	20	1,770	192	299.2	Galvanized	zZ	173
01.B26VSR200G	20	1,960	192	331.3	Bright	sS	173
01.B11VSR200G	20	1,960	192	331.3	Bright	sZ	173

01.B21VSR200G	20	1,960	192	331.3	Bright	zS	173
01.B16VSR200G	20	1,960	192	331.3	Bright	zZ	173
01.G26VSR200G	20	1,960	192	331.3	Galvanized	sS	173
01.G11VSR200G	20	1,960	192	331.3	Galvanized	sZ	173
01.G21VSR200G	20	1,960	192	331.3	Galvanized	zS	173
01.G16VSR200G	20	1,960	192	331.3	Galvanized	zZ	173
01.B26VSR210E	21	1,770	211	329.8	Bright	sS	190
01.B11VSR210E	21	1,770	211	329.8	Bright	sZ	190
01.B21VSR210E	21	1,770	211	329.8	Bright	zS	190
01.B16VSR210E	21	1,770	211	329.8	Bright	zZ	190
01.G26VSR210E	21	1,770	211	329.8	Galvanized	sS	190
01.G11VSR210E	21	1,770	211	329.8	Galvanized	sZ	190
01.G21VSR210E	21	1,770	211	329.8	Galvanized	zS	190
01.G16VSR210E	21	1,770	211	329.8	Galvanized	zZ	190
01.B26VSR210G	21	1,960	211	365.2	Bright	sS	190
01.B11VSR210G	21	1,960	211	365.2	Bright	sZ	190
01.B21VSR210G	21	1,960	211	365.2	Bright	zS	190
01.B16VSR210G	21	1,960	211	365.2	Bright	zZ	190
01.G26VSR210G	21	1,960	211	365.2	Galvanized	sS	190
01.G11VSR210G	21	1,960	211	365.2	Galvanized	sZ	190
01.G21VSR210G	21	1,960	211	365.2	Galvanized	zS	190
01.G16VSR210G	21	1,960	211	365.2	Galvanized	zZ	190
01.B26VSR220E	22	1,770	232	362	Bright	sS	209

01.B11VSR220E	22	1,770	232	362	Bright	sZ	209
01.B21VSR220E	22	1,770	232	362	Bright	zS	209
01.B16VSR220E	22	1,770	232	362	Bright	zZ	209
01.G26VSR220E	22	1,770	232	362	Galvanized	sS	209
01.G11VSR220E	22	1,770	232	362	Galvanized	sZ	209
01.G21VSR220E	22	1,770	232	362	Galvanized	zS	209
01.G16VSR220E	22	1,770	232	362	Galvanized	zZ	209
01.B26VSR220G	22	1,960	232	400.9	Bright	sS	209
01.B11VSR220G	22	1,960	232	400.9	Bright	sZ	209
01.B21VSR220G	22	1,960	232	400.9	Bright	zS	209
01.B16VSR220G	22	1,960	232	400.9	Bright	zZ	209
01.G26VSR220G	22	1,960	232	400.9	Galvanized	sS	209
01.G11VSR220G	22	1,960	232	400.9	Galvanized	sZ	209
01.G21VSR220G	22	1,960	232	400.9	Galvanized	zS	209
01.G16VSR220G	22	1,960	232	400.9	Galvanized	zZ	209
01.B26VSR230E	23	1,770	253	395.7	Bright	sS	228
01.B11VSR230E	23	1,770	253	395.7	Bright	sZ	228
01.B21VSR230E	23	1,770	253	395.7	Bright	zS	228
01.B16VSR230E	23	1,770	253	395.7	Bright	zZ	228
01.G26VSR230E	23	1,770	253	395.7	Galvanized	sS	228
01.G11VSR230E	23	1,770	253	395.7	Galvanized	sZ	228
01.G21VSR230E	23	1,770	253	395.7	Galvanized	zS	228
01.G16VSR230E	23	1,770	253	395.7	Galvanized	zZ	228

01.B26VSR230G	23	1,960	253	438.1	Bright	sS	228
01.B11VSR230G	23	1,960	253	438.1	Bright	sZ	228
01.B21VSR230G	23	1,960	253	438.1	Bright	zS	228
01.B16VSR230G	23	1,960	253	438.1	Bright	zZ	228
01.G26VSR230G	23	1,960	253	438.1	Galvanized	sS	228
01.G11VSR230G	23	1,960	253	438.1	Galvanized	sZ	228
01.G21VSR230G	23	1,960	253	438.1	Galvanized	zS	228
01.G16VSR230G	23	1,960	253	438.1	Galvanized	zZ	228
01.B26VSR240E	24	1,770	276	430.8	Bright	sS	248
01.B11VSR240E	24	1,770	276	430.8	Bright	sZ	248
01.B21VSR240E	24	1,770	276	430.8	Bright	zS	248
01.B16VSR240E	24	1,770	276	430.8	Bright	zZ	248
01.G26VSR240E	24	1,770	276	430.8	Galvanized	sS	248
01.G11VSR240E	24	1,770	276	430.8	Galvanized	sZ	248
01.G21VSR240E	24	1,770	276	430.8	Galvanized	zS	248
01.G16VSR240E	24	1,770	276	430.8	Galvanized	zZ	248
01.B26VSR240G	24	1,960	276	477.1	Bright	sS	248
01.B11VSR240G	24	1,960	276	477.1	Bright	sZ	248
01.B21VSR240G	24	1,960	276	477.1	Bright	zS	248
01.B16VSR240G	24	1,960	276	477.1	Bright	zZ	248
01.G26VSR240G	24	1,960	276	477.1	Galvanized	sS	248
01.G11VSR240G	24	1,960	276	477.1	Galvanized	sZ	248
01.G21VSR240G	24	1,960	276	477.1	Galvanized	zS	248

01.G16VSR240G	24	1,960	276	477.1	Galvanized	zZ	248
01.B26VSR250E	25	1,770	299	467.5	Bright	sS	270
01.B11VSR250E	25	1,770	299	467.5	Bright	sZ	270
01.B21VSR250E	25	1,770	299	467.5	Bright	zS	270
01.B16VSR250E	25	1,770	299	467.5	Bright	zZ	270
01.G26VSR250E	25	1,770	299	467.5	Galvanized	sS	270
01.G11VSR250E	25	1,770	299	467.5	Galvanized	sZ	270
01.G21VSR250E	25	1,770	299	467.5	Galvanized	zS	270
01.G16VSR250E	25	1,770	299	467.5	Galvanized	zZ	270
01.B26VSR250G	25	1,960	299	517.6	Bright	sS	270
01.B11VSR250G	25	1,960	299	517.6	Bright	sZ	270
01.B21VSR250G	25	1,960	299	517.6	Bright	zS	270
01.B16VSR250G	25	1,960	299	517.6	Bright	zZ	270
01.G26VSR250G	25	1,960	299	517.6	Galvanized	sS	270
01.G11VSR250G	25	1,960	299	517.6	Galvanized	sZ	270
01.G21VSR250G	25	1,960	299	517.6	Galvanized	zS	270
01.G16VSR250G	25	1,960	299	517.6	Galvanized	zZ	270
01.B26VSR260E	26	1,770	324	505.6	Bright	sS	292
01.B11VSR260E	26	1,770	324	505.6	Bright	sZ	292
01.B21VSR260E	26	1,770	324	505.6	Bright	zS	292
01.B16VSR260E	26	1,770	324	505.6	Bright	zZ	292
01.G26VSR260E	26	1,770	324	505.6	Galvanized	sS	292
01.G11VSR260E	26	1,770	324	505.6	Galvanized	sZ	292

01.G21VSR260E	26	1,770	324	505.6	Galvanized	zS	292
01.G16VSR260E	26	1,770	324	505.6	Galvanized	zZ	292
01.B26VSR260G	26	1,960	324	559.9	Bright	sS	292
01.B11VSR260G	26	1,960	324	559.9	Bright	sZ	292
01.B21VSR260G	26	1,960	324	559.9	Bright	zS	292
01.B16VSR260G	26	1,960	324	559.9	Bright	zZ	292
01.G26VSR260G	26	1,960	324	559.9	Galvanized	sS	292
01.G11VSR260G	26	1,960	324	559.9	Galvanized	sZ	292
01.G21VSR260G	26	1,960	324	559.9	Galvanized	zS	292
01.G16VSR260G	26	1,960	324	559.9	Galvanized	zZ	292
01.B26VSR270E	27	1,770	349	545.2	Bright	sS	314
01.B11VSR270E	27	1,770	349	545.2	Bright	sZ	314
01.B21VSR270E	27	1,770	349	545.2	Bright	zS	314
01.B16VSR270E	27	1,770	349	545.2	Bright	zZ	314
01.G26VSR270E	27	1,770	349	545.2	Galvanized	sS	314
01.G11VSR270E	27	1,770	349	545.2	Galvanized	sZ	314
01.G21VSR270E	27	1,770	349	545.2	Galvanized	zS	314
01.G16VSR270E	27	1,770	349	545.2	Galvanized	zZ	314
01.B26VSR270G	27	1,960	349	603.8	Bright	sS	314
01.B11VSR270G	27	1,960	349	603.8	Bright	sZ	314
01.B21VSR270G	27	1,960	349	603.8	Bright	zS	314
01.B16VSR270G	27	1,960	349	603.8	Bright	zZ	314
01.G26VSR270G	27	1,960	349	603.8	Galvanized	sS	314

01.G11VSR270G	27	1,960	349	603.8	Galvanized	sZ	314
01.G21VSR270G	27	1,960	349	603.8	Galvanized	zS	314
01.G16VSR270G	27	1,960	349	603.8	Galvanized	zZ	314
01.B26VSR280E	28	1,770	376	586.4	Bright	sS	338
01.B11VSR280E	28	1,770	376	586.4	Bright	sZ	338
01.B21VSR280E	28	1,770	376	586.4	Bright	zS	338
01.B16VSR280E	28	1,770	376	586.4	Bright	zZ	338
01.G26VSR280E	28	1,770	376	586.4	Galvanized	sS	338
01.G11VSR280E	28	1,770	376	586.4	Galvanized	sZ	338
01.G21VSR280E	28	1,770	376	586.4	Galvanized	zS	338
01.G16VSR280E	28	1,770	376	586.4	Galvanized	zZ	338
01.B26VSR280G	28	1,960	376	649.3	Bright	sS	338
01.B11VSR280G	28	1,960	376	649.3	Bright	sZ	338
01.B21VSR280G	28	1,960	376	649.3	Bright	zS	338
01.B16VSR280G	28	1,960	376	649.3	Bright	zZ	338
01.G26VSR280G	28	1,960	376	649.3	Galvanized	sS	338
01.G11VSR280G	28	1,960	376	649.3	Galvanized	sZ	338
01.G21VSR280G	28	1,960	376	649.3	Galvanized	zS	338
01.G16VSR280G	28	1,960	376	649.3	Galvanized	zZ	338
01.B26VSR290E	29	1,770	403	629	Bright	sS	363
01.B11VSR290E	29	1,770	403	629	Bright	sZ	363
01.B21VSR290E	29	1,770	403	629	Bright	zS	363
01.B16VSR290E	29	1,770	403	629	Bright	zZ	363



01.G26VSR290E	29	1,770	403	629	Galvanized	sS	363
01.G11VSR290E	29	1,770	403	629	Galvanized	sZ	363
01.G21VSR290E	29	1,770	403	629	Galvanized	zS	363
01.G16VSR290E	29	1,770	403	629	Galvanized	zZ	363
01.B26VSR290G	29	1,960	403	696.5	Bright	sS	363
01.B11VSR290G	29	1,960	403	696.5	Bright	sZ	363
01.B21VSR290G	29	1,960	403	696.5	Bright	zS	363
01.B16VSR290G	29	1,960	403	696.5	Bright	zZ	363
01.G26VSR290G	29	1,960	403	696.5	Galvanized	sS	363
01.G11VSR290G	29	1,960	403	696.5	Galvanized	sZ	363
01.G21VSR290G	29	1,960	403	696.5	Galvanized	zS	363
01.G16VSR290G	29	1,960	403	696.5	Galvanized	zZ	363
01.B26VSR300E	30	1,770	431	673.1	Bright	sS	388
01.B11VSR300E	30	1,770	431	673.1	Bright	sZ	388
01.B21VSR300E	30	1,770	431	673.1	Bright	zS	388
01.B16VSR300E	30	1,770	431	673.1	Bright	zZ	388
01.G26VSR300E	30	1,770	431	673.1	Galvanized	sS	388
01.G11VSR300E	30	1,770	431	673.1	Galvanized	sZ	388
01.G21VSR300E	30	1,770	431	673.1	Galvanized	zS	388
01.G16VSR300E	30	1,770	431	673.1	Galvanized	zZ	388
01.B26VSR300G	30	1,960	431	745.4	Bright	sS	388
01.B11VSR300G	30	1,960	431	745.4	Bright	sZ	388
01.B21VSR300G	30	1,960	431	745.4	Bright	zS	388

01.B16VSR300G	30	1,960	431	745.4	Bright	zZ	388
01.G26VSR300G	30	1,960	431	745.4	Galvanized	sS	388
01.G11VSR300G	30	1,960	431	745.4	Galvanized	sZ	388
01.G21VSR300G	30	1,960	431	745.4	Galvanized	zS	388
01.G16VSR300G	30	1,960	431	745.4	Galvanized	zZ	388
01.B26VSR310E	31	1,770	460	718.8	Bright	sS	414
01.B11VSR310E	31	1,770	460	718.8	Bright	sZ	414
01.B21VSR310E	31	1,770	460	718.8	Bright	zS	414
01.B16VSR310E	31	1,770	460	718.8	Bright	zZ	414
01.G26VSR310E	31	1,770	460	718.8	Galvanized	sS	414
01.G11VSR310E	31	1,770	460	718.8	Galvanized	sZ	414
01.G21VSR310E	31	1,770	460	718.8	Galvanized	zS	414
01.G16VSR310E	31	1,770	460	718.8	Galvanized	zZ	414
01.B26VSR310G	31	1,960	460	795.9	Bright	sS	414
01.B11VSR310G	31	1,960	460	795.9	Bright	sZ	414
01.B21VSR310G	31	1,960	460	795.9	Bright	zS	414
01.B16VSR310G	31	1,960	460	795.9	Bright	zZ	414
01.G26VSR310G	31	1,960	460	795.9	Galvanized	sS	414
01.G11VSR310G	31	1,960	460	795.9	Galvanized	sZ	414
01.G21VSR310G	31	1,960	460	795.9	Galvanized	zS	414
01.G16VSR310G	31	1,960	460	795.9	Galvanized	zZ	414
01.B26VSR320E	32	1,770	491	765.9	Bright	sS	442
01.B11VSR320E	32	1,770	491	765.9	Bright	sZ	442

01.B21VSR320E	32	1,770	491	765.9	Bright	zS	442
01.B16VSR320E	32	1,770	491	765.9	Bright	zZ	442
01.G26VSR320E	32	1,770	491	765.9	Galvanized	sS	442
01.G11VSR320E	32	1,770	491	765.9	Galvanized	sZ	442
01.G21VSR320E	32	1,770	491	765.9	Galvanized	zS	442
01.G16VSR320E	32	1,770	491	765.9	Galvanized	zZ	442
01.B26VSR320G	32	1,960	491	848.1	Bright	sS	442
01.B11VSR320G	32	1,960	491	848.1	Bright	sZ	442
01.B21VSR320G	32	1,960	491	848.1	Bright	zS	442
01.B16VSR320G	32	1,960	491	848.1	Bright	zZ	442
01.G26VSR320G	32	1,960	491	848.1	Galvanized	sS	442
01.G11VSR320G	32	1,960	491	848.1	Galvanized	sZ	442
01.G21VSR320G	32	1,960	491	848.1	Galvanized	zS	442
01.G16VSR320G	32	1,960	491	848.1	Galvanized	zZ	442
01.B26VSR330E	33	1,770	522	814.5	Bright	sS	470
01.B11VSR330E	33	1,770	522	814.5	Bright	sZ	470
01.B21VSR330E	33	1,770	522	814.5	Bright	zS	470
01.B16VSR330E	33	1,770	522	814.5	Bright	zZ	470
01.G26VSR330E	33	1,770	522	814.5	Galvanized	sS	470
01.G11VSR330E	33	1,770	522	814.5	Galvanized	sZ	470
01.G21VSR330E	33	1,770	522	814.5	Galvanized	zS	470
01.G16VSR330E	33	1,770	522	814.5	Galvanized	zZ	470
01.B26VSR330G	33	1,960	522	901.9	Bright	sS	470

01.B11VSR330G	33	1,960	522	901.9	Bright	sZ	470
01.B21VSR330G	33	1,960	522	901.9	Bright	zS	470
01.B16VSR330G	33	1,960	522	901.9	Bright	zZ	470
01.G26VSR330G	33	1,960	522	901.9	Galvanized	sS	470
01.G11VSR330G	33	1,960	522	901.9	Galvanized	sZ	470
01.G21VSR330G	33	1,960	522	901.9	Galvanized	zS	470
01.G16VSR330G	33	1,960	522	901.9	Galvanized	zZ	470
01.B26VSR340E	34	1,770	554	864.6	Bright	sS	498
01.B11VSR340E	34	1,770	554	864.6	Bright	sZ	498
01.B21VSR340E	34	1,770	554	864.6	Bright	zS	498
01.B16VSR340E	34	1,770	554	864.6	Bright	zZ	498
01.G26VSR340E	34	1,770	554	864.6	Galvanized	sS	498
01.G11VSR340E	34	1,770	554	864.6	Galvanized	sZ	498
01.G21VSR340E	34	1,770	554	864.6	Galvanized	zS	498
01.G16VSR340E	34	1,770	554	864.6	Galvanized	zZ	498
01.B26VSR340G	34	1,960	554	957.4	Bright	sS	498
01.B11VSR340G	34	1,960	554	957.4	Bright	sZ	498
01.B21VSR340G	34	1,960	554	957.4	Bright	zS	498
01.B16VSR340G	34	1,960	554	957.4	Bright	zZ	498
01.G26VSR340G	34	1,960	554	957.4	Galvanized	sS	498
01.G11VSR340G	34	1,960	554	957.4	Galvanized	sZ	498
01.G21VSR340G	34	1,960	554	957.4	Galvanized	zS	498
01.G16VSR340G	34	1,960	554	957.4	Galvanized	zZ	498

01.B26VSR350E	35	1,770	587	916.2	Bright	sS	528
01.B11VSR350E	35	1,770	587	916.2	Bright	sZ	528
01.B21VSR350E	35	1,770	587	916.2	Bright	zS	528
01.B16VSR350E	35	1,770	587	916.2	Bright	zZ	528
01.G26VSR350E	35	1,770	587	916.2	Galvanized	sS	528
01.G11VSR350E	35	1,770	587	916.2	Galvanized	sZ	528
01.G21VSR350E	35	1,770	587	916.2	Galvanized	zS	528
01.G16VSR350E	35	1,770	587	916.2	Galvanized	zZ	528
01.B26VSR350G	35	1,960	587	1,015	Bright	sS	528
01.B11VSR350G	35	1,960	587	1,015	Bright	sZ	528
01.B21VSR350G	35	1,960	587	1,015	Bright	zS	528
01.B16VSR350G	35	1,960	587	1,015	Bright	zZ	528
01.G26VSR350G	35	1,960	587	1,015	Galvanized	sS	528
01.G11VSR350G	35	1,960	587	1,015	Galvanized	sZ	528
01.G21VSR350G	35	1,960	587	1,015	Galvanized	zS	528
01.G16VSR350G	35	1,960	587	1,015	Galvanized	zZ	528
01.B26VSR360E	36	1,770	621	969.3	Bright	sS	559
01.B11VSR360E	36	1,770	621	969.3	Bright	sZ	559
01.B21VSR360E	36	1,770	621	969.3	Bright	zS	559
01.B16VSR360E	36	1,770	621	969.3	Bright	zZ	559
01.G26VSR360E	36	1,770	621	969.3	Galvanized	sS	559
01.G11VSR360E	36	1,770	621	969.3	Galvanized	sZ	559
01.G21VSR360E	36	1,770	621	969.3	Galvanized	zS	559

01.G16VSR360E	36	1,770	621	969.3	Galvanized	zZ	559
01.B26VSR360G	36	1,960	621	1,073	Bright	sS	559
01.B11VSR360G	36	1,960	621	1,073	Bright	sZ	559
01.B21VSR360G	36	1,960	621	1,073	Bright	zS	559
01.B16VSR360G	36	1,960	621	1,073	Bright	zZ	559
01.G26VSR360G	36	1,960	621	1,073	Galvanized	sS	559
01.G11VSR360G	36	1,960	621	1,073	Galvanized	sZ	559
01.G21VSR360G	36	1,960	621	1,073	Galvanized	zS	559
01.G16VSR360G	36	1,960	621	1,073	Galvanized	zZ	559
01.G11VSR380E	38	1,770	692	1,08	Galvanized	sZ	623
01.B26VSR380E	38	1,770	692	1,080	Bright	sS	623
01.B11VSR380E	38	1,770	692	1,080	Bright	sZ	623
01.B21VSR380E	38	1,770	692	1,080	Bright	zS	623
01.B16VSR380E	38	1,770	692	1,080	Bright	zZ	623
01.G26VSR380E	38	1,770	692	1,080	Galvanized	sS	623
01.G21VSR380E	38	1,770	692	1,080	Galvanized	zS	623
01.G16VSR380E	38	1,770	692	1,080	Galvanized	zZ	623
01.B26VSR380G	38	1,960	692	1,196	Bright	sS	623
01.B11VSR380G	38	1,960	692	1,196	Bright	sZ	623
01.B21VSR380G	38	1,960	692	1,196	Bright	zS	623
01.B16VSR380G	38	1,960	692	1,196	Bright	zZ	623
01.G26VSR380G	38	1,960	692	1,196	Galvanized	sS	623
01.G11VSR380G	38	1,960	692	1,196	Galvanized	sZ	623

01.G21VSR380G	38	1,960	692	1,196	Galvanized	zS	623
01.G16VSR380G	38	1,960	692	1,196	Galvanized	zZ	623
01.B26VSR400E	40	1,770	767	1,197	Bright	sS	690
01.B11VSR400E	40	1,770	767	1,197	Bright	sZ	690
01.B21VSR400E	40	1,770	767	1,197	Bright	zS	690
01.B16VSR400E	40	1,770	767	1,197	Bright	zZ	690
01.G26VSR400E	40	1,770	767	1,197	Galvanized	sS	690
01.G11VSR400E	40	1,770	767	1,197	Galvanized	sZ	690
01.G21VSR400E	40	1,770	767	1,197	Galvanized	zS	690
01.G16VSR400E	40	1,770	767	1,197	Galvanized	zZ	690
01.B26VSR400G	40	1,960	767	1,325	Bright	sS	690
01.B11VSR400G	40	1,960	767	1,325	Bright	sZ	690
01.B21VSR400G	40	1,960	767	1,325	Bright	zS	690
01.B16VSR400G	40	1,960	767	1,325	Bright	zZ	690
01.G26VSR400G	40	1,960	767	1,325	Galvanized	sS	690
01.G11VSR400G	40	1,960	767	1,325	Galvanized	sZ	690
01.G21VSR400G	40	1,960	767	1,325	Galvanized	zS	690
01.G16VSR400G	40	1,960	767	1,325	Galvanized	zZ	690
01.B26VSR420E	42	1,770	845	1,319	Bright	sS	761
01.B11VSR420E	42	1,770	845	1,319	Bright	sZ	761
01.B21VSR420E	42	1,770	845	1,319	Bright	zS	761
01.B16VSR420E	42	1,770	845	1,319	Bright	zZ	761
01.G26VSR420E	42	1,770	845	1,319	Galvanized	sS	761

01.G11VSR420E	42	1,770	845	1,319	Galvanized	sZ	761
01.G21VSR420E	42	1,770	845	1,319	Galvanized	zS	761
01.G16VSR420E	42	1,770	845	1,319	Galvanized	zZ	761
01.B26VSR420G	42	1,960	845	1,461	Bright	sS	761
01.B11VSR420G	42	1,960	845	1,461	Bright	sZ	761
01.B21VSR420G	42	1,960	845	1,461	Bright	zS	761
01.B16VSR420G	42	1,960	845	1,461	Bright	zZ	761
01.G26VSR420G	42	1,960	845	1,461	Galvanized	sS	761
01.G11VSR420G	42	1,960	845	1,461	Galvanized	sZ	761
01.G21VSR420G	42	1,960	845	1,461	Galvanized	zS	761
01.G16VSR420G	42	1,960	845	1,461	Galvanized	zZ	761
01.B26VSR440E	44	1,770	928	1,448	Bright	sS	835
01.B11VSR440E	44	1,770	928	1,448	Bright	sZ	835
01.B21VSR440E	44	1,770	928	1,448	Bright	zS	835
01.B16VSR440E	44	1,770	928	1,448	Bright	zZ	835
01.G26VSR440E	44	1,770	928	1,448	Galvanized	sS	835
01.G11VSR440E	44	1,770	928	1,448	Galvanized	sZ	835
01.G21VSR440E	44	1,770	928	1,448	Galvanized	zS	835
01.G16VSR440E	44	1,770	928	1,448	Galvanized	zZ	835
01.B26VSR440G	44	1,960	928	1,603	Bright	sS	835
01.B11VSR440G	44	1,960	928	1,603	Bright	sZ	835
01.B21VSR440G	44	1,960	928	1,603	Bright	zS	835
01.B16VSR440G	44	1,960	928	1,603	Bright	zZ	835



01.G26VSR440G	44	1,960	928	1,603	Galvanized	sS	835
01.G11VSR440G	44	1,960	928	1,603	Galvanized	sZ	835
01.G21VSR440G	44	1,960	928	1,603	Galvanized	zS	835
01.G16VSR440G	44	1,960	928	1,603	Galvanized	zZ	835
01.B26VSR450E	45	1,770	970	1,515	Bright	sS	873
01.B11VSR450E	45	1,770	970	1,515	Bright	sZ	873
01.B21VSR450E	45	1,770	970	1,515	Bright	zS	873
01.B16VSR450E	45	1,770	970	1,515	Bright	zZ	873
01.G26VSR450E	45	1,770	970	1,515	Galvanized	sS	873
01.G11VSR450E	45	1,770	970	1,515	Galvanized	sZ	873
01.G21VSR450E	45	1,770	970	1,515	Galvanized	zS	873
01.G16VSR450E	45	1,770	970	1,515	Galvanized	zZ	873
01.B26VSR450G	45	1,960	970	1,677	Bright	sS	873
01.B11VSR450G	45	1,960	970	1,677	Bright	sZ	873
01.B21VSR450G	45	1,960	970	1,677	Bright	zS	873
01.B16VSR450G	45	1,960	970	1,677	Bright	zZ	873
01.G26VSR450G	45	1,960	970	1,677	Galvanized	sS	873
01.G11VSR450G	45	1,960	970	1,677	Galvanized	sZ	873
01.G21VSR450G	45	1,960	970	1,677	Galvanized	zS	873
01.G16VSR450G	45	1,960	970	1,677	Galvanized	zZ	873
01.B26VSR460E	46	1,770	1,014	1,583	Bright	sS	912
01.B11VSR460E	46	1,770	1,014	1,583	Bright	sZ	912
01.B21VSR460E	46	1,770	1,014	1,583	Bright	zS	912

01.B16VSR460E	46	1,770	1,014	1,583	Bright	zZ	912
01.G26VSR460E	46	1,770	1,014	1,583	Galvanized	sS	912
01.G11VSR460E	46	1,770	1,014	1,583	Galvanized	sZ	912
01.G21VSR460E	46	1,770	1,014	1,583	Galvanized	zS	912
01.G16VSR460E	46	1,770	1,014	1,583	Galvanized	zZ	912
01.B26VSR460G	46	1,960	1,014	1,753	Bright	sS	912
01.B11VSR460G	46	1,960	1,014	1,753	Bright	sZ	912
01.B21VSR460G	46	1,960	1,014	1,753	Bright	zS	912
01.B16VSR460G	46	1,960	1,014	1,753	Bright	zZ	912
01.G26VSR460G	46	1,960	1,014	1,753	Galvanized	sS	912
01.G11VSR460G	46	1,960	1,014	1,753	Galvanized	sZ	912
01.G21VSR460G	46	1,960	1,014	1,753	Galvanized	zS	912
01.G16VSR460G	46	1,960	1,014	1,753	Galvanized	zZ	912
01.B26VSR480E	48	1,770	1,104	1,723	Bright	sS	993
01.B11VSR480E	48	1,770	1,104	1,723	Bright	sZ	993
01.B21VSR480E	48	1,770	1,104	1,723	Bright	zS	993
01.B16VSR480E	48	1,770	1,104	1,723	Bright	zZ	993
01.G26VSR480E	48	1,770	1,104	1,723	Galvanized	sS	993
01.G11VSR480E	48	1,770	1,104	1,723	Galvanized	sZ	993
01.G21VSR480E	48	1,770	1,104	1,723	Galvanized	zS	993
01.G16VSR480E	48	1,770	1,104	1,723	Galvanized	zZ	993
01.B26VSR480G	48	1,960	1,104	1,908	Bright	sS	993
01.B11VSR480G	48	1,960	1,104	1,908	Bright	sZ	993

01.B21VSR480G	48	1,960	1,104	1,908	Bright	zS	993
01.B16VSR480G	48	1,960	1,104	1,908	Bright	zZ	993
01.G26VSR480G	48	1,960	1,104	1,908	Galvanized	sS	993
01.G11VSR480G	48	1,960	1,104	1,908	Galvanized	sZ	993
01.G21VSR480G	48	1,960	1,104	1,908	Galvanized	zS	993
01.G16VSR480G	48	1,960	1,104	1,908	Galvanized	zZ	993
01.B26VSR500E	50	1,770	1,198	1,870	Bright	sS	1,078
01.B11VSR500E	50	1,770	1,198	1,870	Bright	sZ	1,078
01.B21VSR500E	50	1,770	1,198	1,870	Bright	zS	1,078
01.B16VSR500E	50	1,770	1,198	1,870	Bright	zZ	1,078
01.G26VSR500E	50	1,770	1,198	1,870	Galvanized	sS	1,078
01.G11VSR500E	50	1,770	1,198	1,870	Galvanized	sZ	1,078
01.G21VSR500E	50	1,770	1,198	1,870	Galvanized	zS	1,078
01.G16VSR500E	50	1,770	1,198	1,870	Galvanized	zZ	1,078
01.B26VSR500G	50	1,960	1,198	2,071	Bright	sS	1,078
01.B11VSR500G	50	1,960	1,198	2,071	Bright	sZ	1,078
01.B21VSR500G	50	1,960	1,198	2,071	Bright	zS	1,078
01.B16VSR500G	50	1,960	1,198	2,071	Bright	zZ	1,078
01.G26VSR500G	50	1,960	1,198	2,071	Galvanized	sS	1,078
01.G11VSR500G	50	1,960	1,198	2,071	Galvanized	sZ	1,078
01.G21VSR500G	50	1,960	1,198	2,071	Galvanized	zS	1,078
01.G16VSR500G	50	1,960	1,198	2,071	Galvanized	zZ	1,078
01.B26VSR520E	52	1,770	1,295	2,022	Bright	sS	1,166

01.B11VSR520E	52	1,770	1,295	2,022	Bright	sZ	1,166
01.B21VSR520E	52	1,770	1,295	2,022	Bright	zS	1,166
01.B16VSR520E	52	1,770	1,295	2,022	Bright	zZ	1,166
01.G26VSR520E	52	1,770	1,295	2,022	Galvanized	sS	1,166
01.G11VSR520E	52	1,770	1,295	2,022	Galvanized	sZ	1,166
01.G21VSR520E	52	1,770	1,295	2,022	Galvanized	zS	1,166
01.G16VSR520E	52	1,770	1,295	2,022	Galvanized	zZ	1,166
01.B26VSR520G	52	1,960	1,295	2,239	Bright	sS	1,166
01.B11VSR520G	52	1,960	1,295	2,239	Bright	sZ	1,166
01.B21VSR520G	52	1,960	1,295	2,239	Bright	zS	1,166
01.B16VSR520G	52	1,960	1,295	2,239	Bright	zZ	1,166
01.G26VSR520G	52	1,960	1,295	2,239	Galvanized	sS	1,166
01.G11VSR520G	52	1,960	1,295	2,239	Galvanized	sZ	1,166
01.G21VSR520G	52	1,960	1,295	2,239	Galvanized	zS	1,166
01.G16VSR520G	52	1,960	1,295	2,239	Galvanized	zZ	1,166
01.B26VSR540E	54	1,770	1,397	2,181	Bright	sS	1,257
01.B11VSR540E	54	1,770	1,397	2,181	Bright	sZ	1,257
01.B21VSR540E	54	1,770	1,397	2,181	Bright	zS	1,257
01.B16VSR540E	54	1,770	1,397	2,181	Bright	zZ	1,257
01.G26VSR540E	54	1,770	1,397	2,181	Galvanized	sS	1,257
01.G11VSR540E	54	1,770	1,397	2,181	Galvanized	sZ	1,257
01.G21VSR540E	54	1,770	1,397	2,181	Galvanized	zS	1,257
01.G16VSR540E	54	1,770	1,397	2,181	Galvanized	zZ	1,257

01.B26VSR540G	54	1,960	1,397	2,415	Bright	sS	1,257
01.B11VSR540G	54	1,960	1,397	2,415	Bright	sZ	1,257
01.B21VSR540G	54	1,960	1,397	2,415	Bright	zS	1,257
01.B16VSR540G	54	1,960	1,397	2,415	Bright	zZ	1,257
01.G26VSR540G	54	1,960	1,397	2,415	Galvanized	sS	1,257
01.G11VSR540G	54	1,960	1,397	2,415	Galvanized	sZ	1,257
01.G21VSR540G	54	1,960	1,397	2,415	Galvanized	zS	1,257
01.G16VSR540G	54	1,960	1,397	2,415	Galvanized	zZ	1,257
01.B26VSR560E	56	1,770	1,502	2,346	Bright	sS	1,352
01.B11VSR560E	56	1,770	1,502	2,346	Bright	sZ	1,352
01.B21VSR560E	56	1,770	1,502	2,346	Bright	zS	1,352
01.B16VSR560E	56	1,770	1,502	2,346	Bright	zZ	1,352
01.G26VSR560E	56	1,770	1,502	2,346	Galvanized	sS	1,352
01.G11VSR560E	56	1,770	1,502	2,346	Galvanized	sZ	1,352
01.G21VSR560E	56	1,770	1,502	2,346	Galvanized	zS	1,352
01.G16VSR560E	56	1,770	1,502	2,346	Galvanized	zZ	1,352
01.B26VSR560G	56	1,960	1,502	2,597	Bright	sS	1,352
01.B11VSR560G	56	1,960	1,502	2,597	Bright	sZ	1,352
01.B21VSR560G	56	1,960	1,502	2,597	Bright	zS	1,352
01.B16VSR560G	56	1,960	1,502	2,597	Bright	zZ	1,352
01.G26VSR560G	56	1,960	1,502	2,597	Galvanized	sS	1,352
01.G11VSR560G	56	1,960	1,502	2,597	Galvanized	sZ	1,352
01.G21VSR560G	56	1,960	1,502	2,597	Galvanized	zS	1,352

01.G16VSR560G	56	1,960	1,502	2,597	Galvanized	zZ	1,352
01.B26VSR580E	58	1,770	1,612	2,516	Bright	sS	1,451
01.B11VSR580E	58	1,770	1,612	2,516	Bright	sZ	1,451
01.B16VSR580E	58	1,770	1,612	2,516	Bright	zZ	1,451
01.G26VSR580E	58	1,770	1,612	2,516	Galvanized	sS	1,451
01.G11VSR580E	58	1,770	1,612	2,516	Galvanized	sZ	1,451
01.G21VSR580E	58	1,770	1,612	2,516	Galvanized	zS	1,451
01.G16VSR580E	58	1,770	1,612	2,516	Galvanized	zZ	1,451
01.B21VSR580E	58	1,770	1,612	2,786	Bright	zS	1,451
01.B26VSR580G	58	1,960	1,612	2,786	Bright	sS	1,451
01.B11VSR580G	58	1,960	1,612	2,786	Bright	sZ	1,451
01.B21VSR580G	58	1,960	1,612	2,786	Bright	zS	1,451
01.B16VSR580G	58	1,960	1,612	2,786	Bright	zZ	1,451
01.G26VSR580G	58	1,960	1,612	2,786	Galvanized	sS	1,451
01.G11VSR580G	58	1,960	1,612	2,786	Galvanized	sZ	1,451
01.G21VSR580G	58	1,960	1,612	2,786	Galvanized	zS	1,451
01.G16VSR580G	58	1,960	1,612	2,786	Galvanized	zZ	1,451

## Technical data