

# Steel Wire Rope Verotop

## Product information



**Wire rope construction:** verotop is a very flexible rotation-resistant rope with compacted strands.

**Features:**

- Extremely high breaking force.
- Very good fatigue properties.
- Very high resistance against flattening and wear.
- Especially suitable for multiple layer spooling.

**ISO 4309 Rope Category No:** All Diameters **RCN.23-2.**

**Marking:** According to standard

**Standard:** EN 12385-4

**Note:** Verotop can be used either with or without swivel.

**Fill factor:** 0,738

**RCN:** 23-2

**Tolerance Ø:** +2% to +4%

Tower crane



Mobile crane



Crawler crane



Piling crane



Truck crane



Self-erected crane



Luffing crane



Jib crane




Offshore crane



Deck crane

Knuckle boom crane

Overhead cranes



Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.G37VTP080G	8	1,960	37	61.1	Galvanized	zZ	31
01.G47VTP080G	8	1,960	37	61.1	Galvanized	sS	31
01.B37VTP080G	8	1,960	37	61.1	Bright	zZ	31
01.B47VTP080G	8	1,960	37	61.1	Bright	sS	31
01.G37VTP080H	8	2,160	37	62.7	Galvanized	zZ	31
01.G47VTP080H	8	2,160	37	62.7	Galvanized	sS	31
01.B37VTP080H	8	2,160	37	62.7	Bright	zZ	31
01.B47VTP080H	8	2,160	37	62.7	Bright	sS	31
01.G37VTP090G	9	1,960	47	77.3	Galvanized	zZ	40
01.G47VTP090G	9	1,960	47	77.3	Galvanized	sS	40
01.B37VTP090G	9	1,960	47	77.3	Bright	zZ	40
01.B47VTP090G	9	1,960	47	77.3	Bright	sS	40
01.G37VTP090H	9	2,160	47	79.4	Galvanized	zZ	40
01.G47VTP090H	9	2,160	47	79.4	Galvanized	sS	40
01.B37VTP090H	9	2,160	47	79.4	Bright	zZ	40
01.B47VTP090H	9	2,160	47	79.4	Bright	sS	40
01.G37VTP100G	10	1,960	58	95.43	Galvanized	zZ	49
01.G47VTP100G	10	1,960	58	95.43	Galvanized	sS	49

01.B37VTP100G	10	1,960	58	95.43	Bright	zZ	49
01.B47VTP100G	10	1,960	58	95.43	Bright	sS	49
01.G37VTP100H	10	2,160	58	98	Galvanized	zZ	49
01.G47VTP100H	10	2,160	58	98	Galvanized	sS	49
01.B37VTP100H	10	2,160	58	98	Bright	zZ	49
01.B47VTP100H	10	2,160	58	98	Bright	sS	49
01.B47VTP110G	11	1,960	70	115.5	Bright	sS	59
01.B37VTP110G	11	1,960	70	115.5	Bright	zZ	59
01.G47VTP110G	11	1,960	70	115.5	Galvanized	sS	59
01.B47VTP110H	11	2,160	70	118.6	Bright	sS	59
01.B37VTP110H	11	2,160	70	118.6	Bright	zZ	59
01.G47VTP110H	11	2,160	70	118.6	Galvanized	sS	59
01.G37VTP110H	11	2,160	70	118.6	Galvanized	zZ	59
01.B47VTP120G	12	1,960	83	137.4	Bright	sS	71
01.B37VTP120G	12	1,960	83	137.4	Bright	zZ	71
01.G47VTP120G	12	1,960	83	137.4	Galvanized	sS	71
01.G37VTP120G	12	1,960	83	137.4	Galvanized	zZ	71
01.B47VTP120H	12	2,160	83	141.2	Bright	sS	71
01.B37VTP120H	12	2,160	83	141.2	Bright	zZ	71
01.G47VTP120H	12	2,160	83	141.2	Galvanized	sS	71
01.G37VTP120H	12	2,160	83	141.2	Galvanized	zZ	71
01.B47VTP127G	12.7	1,960	93	153.9	Bright	sS	79
01.B37VTP127G	12.7	1,960	93	153.9	Bright	zZ	79

01.G47VTP127G	12.7	1,960	93	153.9	Galvanized	sS	79
01.G37VTP127G	12.7	1,960	93	153.9	Galvanized	zZ	79
01.B47VTP127H	12.7	2,160	93	158.1	Bright	sS	79
01.B37VTP127H	12.7	2,160	93	158.1	Bright	zZ	79
01.G47VTP127H	12.7	2,160	93	158.1	Galvanized	sS	79
01.G37VTP127H	12.7	2,160	93	158.1	Galvanized	zZ	79
01.B47VTP130G	13	1,960	98	161.3	Bright	sS	83
01.B37VTP130G	13	1,960	98	161.3	Bright	zZ	83
01.G47VTP130G	13	1,960	98	161.3	Galvanized	sS	83
01.G37VTP130G	13	1,960	98	161.3	Galvanized	zZ	83
01.B47VTP130H	13	2,160	98	165.7	Bright	sS	83
01.B37VTP130H	13	2,160	98	165.7	Bright	zZ	83
01.G47VTP130H	13	2,160	98	165.7	Galvanized	sS	83
01.G37VTP130H	13	2,160	98	165.7	Galvanized	zZ	83
01.B47VTP140G	14	1,960	114	187	Bright	sS	96
01.B37VTP140G	14	1,960	114	187	Bright	zZ	96
01.G47VTP140G	14	1,960	114	187	Galvanized	sS	96
01.G37VTP140G	14	1,960	114	187	Galvanized	zZ	96
01.B47VTP140H	14	2,160	114	192.2	Bright	sS	96
01.B37VTP140H	14	2,160	114	192.2	Bright	zZ	96
01.G47VTP140H	14	2,160	114	192.2	Galvanized	sS	96
01.G37VTP140H	14	2,160	114	192.2	Galvanized	zZ	96
01.B47VTP150G	15	1,960	130	214.7	Bright	sS	110

01.B37VTP150G	15	1,960	130	214.7	Bright	zZ	110
01.G47VTP150G	15	1,960	130	214.7	Galvanized	sS	110
01.G37VTP150G	15	1,960	130	214.7	Galvanized	zZ	110
01.B47VTP150H	15	2,160	130	220.6	Bright	sS	110
01.B37VTP150H	15	2,160	130	220.6	Bright	zZ	110
01.G47VTP150H	15	2,160	130	220.6	Galvanized	sS	110
01.G37VTP150H	15	2,160	130	220.6	Galvanized	zZ	110
01.B47VTP160G	16	1,960	148	244.3	Bright	sS	125
01.B37VTP160G	16	1,960	148	244.3	Bright	zZ	125
01.G47VTP160G	16	1,960	148	244.3	Galvanized	sS	125
01.G37VTP160G	16	1,960	148	244.3	Galvanized	zZ	125
01.B47VTP160H	16	2,160	148	251	Bright	sS	125
01.B37VTP160H	16	2,160	148	251	Bright	zZ	125
01.G47VTP160H	16	2,160	148	251	Galvanized	sS	125
01.G37VTP160H	16	2,160	148	251	Galvanized	zZ	125
01.B47VTP170G	17	1,960	168	275.8	Bright	sS	142
01.B37VTP170G	17	1,960	168	275.8	Bright	zZ	142
01.G47VTP170G	17	1,960	168	275.8	Galvanized	sS	142
01.G37VTP170G	17	1,960	168	275.8	Galvanized	zZ	142
01.B47VTP170H	17	2,160	168	283.3	Bright	sS	142
01.B37VTP170H	17	2,160	168	283.3	Bright	zZ	142
01.G47VTP170H	17	2,160	168	283.3	Galvanized	sS	142
01.G37VTP170H	17	2,160	168	283.3	Galvanized	zZ	142

01.B47VTP180G	18	1,960	188	309.2	Bright	sS	159
01.B37VTP180G	18	1,960	188	309.2	Bright	zZ	159
01.G47VTP180G	18	1,960	188	309.2	Galvanized	sS	159
01.G37VTP180G	18	1,960	188	309.2	Galvanized	zZ	159
01.B47VTP180H	18	2,160	188	317.7	Bright	sS	159
01.B37VTP180H	18	2,160	188	317.7	Bright	zZ	159
01.G47VTP180H	18	2,160	188	317.7	Galvanized	sS	159
01.G37VTP180H	18	2,160	188	317.7	Galvanized	zZ	159
01.B47VTP190G	19	1,960	209	344.5	Bright	sS	177
01.B37VTP190G	19	1,960	209	344.5	Bright	zZ	177
01.G47VTP190G	19	1,960	209	344.5	Galvanized	sS	177
01.G37VTP190G	19	1,960	209	344.5	Galvanized	zZ	177
01.B47VTP190H	19	2,160	209	353.9	Bright	sS	177
01.B37VTP190H	19	2,160	209	353.9	Bright	zZ	177
01.G47VTP190H	19	2,160	209	353.9	Galvanized	sS	177
01.G37VTP190H	19	2,160	209	353.9	Galvanized	zZ	177
01.B47VTP200G	20	1,960	232	381.7	Bright	sS	196
01.B37VTP200G	20	1,960	232	381.7	Bright	zZ	196
01.G47VTP200G	20	1,960	232	381.7	Galvanized	sS	196
01.G37VTP200G	20	1,960	232	381.7	Galvanized	zZ	196
01.B47VTP200H	20	2,160	232	392.2	Bright	sS	196
01.B37VTP200H	20	2,160	232	392.2	Bright	zZ	196
01.G47VTP200H	20	2,160	232	392.2	Galvanized	sS	196

01.G37VTP200H	20	2,160	232	392.2	Galvanized	zZ	196
01.B47VTP210G	21	1,960	256	420.8	Bright	sS	216
01.B37VTP210G	21	1,960	256	420.8	Bright	zZ	216
01.G47VTP210G	21	1,960	256	420.8	Galvanized	sS	216
01.G37VTP210G	21	1,960	256	420.8	Galvanized	zZ	216
01.B47VTP210H	21	2,160	256	432.4	Bright	sS	216
01.B37VTP210H	21	2,160	256	432.4	Bright	zZ	216
01.G47VTP210H	21	2,160	256	432.4	Galvanized	sS	216
01.G37VTP210H	21	2,160	256	432.4	Galvanized	zZ	216
01.B47VTP220G	22	1,960	281	461.9	Bright	sS	237
01.B37VTP220G	22	1,960	281	461.9	Bright	zZ	237
01.G47VTP220G	22	1,960	281	461.9	Galvanized	sS	237
01.G37VTP220G	22	1,960	281	461.9	Galvanized	zZ	237
01.B47VTP220H	22	2,160	281	474.5	Bright	sS	237
01.B37VTP220H	22	2,160	281	474.5	Bright	zZ	237
01.G47VTP220H	22	2,160	281	474.5	Galvanized	sS	237
01.G37VTP220H	22	2,160	281	474.5	Galvanized	zZ	237
01.B47VTP224G	22.4	1,960	286	478.8	Bright	sS	245
01.B37VTP224G	22.4	1,960	286	487.8	Bright	zZ	245
01.G47VTP224G	22.4	1,960	286	487.8	Galvanized	sS	245
01.G37VTP224G	22.4	1,960	286	487.8	Galvanized	zZ	245
01.B47VTP224H	22.4	2,160	286	491.9	Bright	sS	245
01.B37VTP224H	22.4	2,160	286	491.9	Bright	zZ	245

01.G47VTP224H	22.4	2,160	286	491.9	Galvanized	sS	245
01.G37VTP224H	22.4	2,160	286	491.9	Galvanized	zZ	245
01.B47VTP230G	23	1,960	307	504.8	Bright	sS	259
01.B37VTP230G	23	1,960	307	504.8	Bright	zZ	259
01.G47VTP230G	23	1,960	307	504.8	Galvanized	sS	259
01.G37VTP230G	23	1,960	307	504.8	Galvanized	zZ	259
01.B47VTP230H	23	2,160	307	518.6	Bright	sS	259
01.B37VTP230H	23	2,160	307	518.6	Bright	zZ	259
01.G47VTP230H	23	2,160	307	518.6	Galvanized	sS	259
01.G37VTP230H	23	2,160	307	518.6	Galvanized	zZ	259
01.B47VTP240G	24	1,960	334	549.7	Bright	sS	282
01.B37VTP240G	24	1,960	334	549.7	Bright	zZ	282
01.G47VTP240G	24	1,960	334	549.7	Galvanized	sS	282
01.G37VTP240G	24	1,960	334	549.7	Galvanized	zZ	282
01.B47VTP240H	24	2,160	334	564.7	Bright	sS	282
01.B37VTP240H	24	2,160	334	564.7	Bright	zZ	282
01.G47VTP240H	24	2,160	334	564.7	Galvanized	sS	282
01.G37VTP240H	24	2,160	334	564.7	Galvanized	zZ	282
01.B47VTP250G	25	1,960	362	596.4	Bright	sS	306
01.B37VTP250G	25	1,960	362	596.4	Bright	zZ	306
01.G47VTP250G	25	1,960	362	596.4	Galvanized	sS	306
01.G37VTP250G	25	1,960	362	596.4	Galvanized	zZ	306
01.B47VTP250H	25	2,160	362	612.8	Bright	sS	306



01.B37VTP250H	25	2,160	362	612.8	Bright	zZ	306
01.G47VTP250H	25	2,160	362	612.8	Galvanized	sS	306
01.G37VTP250H	25	2,160	362	612.8	Galvanized	zZ	306
01.B47VTP254G	25.4	1,960	374	615.7	Bright	sS	316
01.B37VTP254G	25.4	1,960	374	615.7	Bright	zZ	316
01.G47VTP254G	25.4	1,960	374	615.7	Galvanized	sS	316
01.G37VTP254G	25.4	1,960	374	615.7	Galvanized	zZ	316
01.B47VTP254H	25.4	2,160	374	632.5	Bright	sS	316
01.B37VTP254H	25.4	2,160	374	632.5	Bright	zZ	316
01.G47VTP254H	25.4	2,160	374	632.5	Galvanized	sS	316
01.G37VTP254H	25.4	2,160	374	632.5	Galvanized	zZ	316
01.B47VTP260G	26	1,960	392	645.1	Bright	sS	331
01.B37VTP260G	26	1,960	392	645.1	Bright	zZ	331
01.G47VTP260G	26	1,960	392	645.1	Galvanized	sS	331
01.G37VTP260G	26	1,960	392	645.1	Galvanized	zZ	331
01.B47VTP260H	26	2,160	392	662.8	Bright	sS	331
01.B37VTP260H	26	2,160	392	662.8	Bright	zZ	331
01.G47VTP260H	26	2,160	392	662.8	Galvanized	sS	331
01.G37VTP260H	26	2,160	392	662.8	Galvanized	zZ	331
01.B47VTP270G	27	1,960	423	695.7	Bright	sS	357
01.B37VTP270G	27	1,960	423	695.7	Bright	zZ	357
01.G47VTP270G	27	1,960	423	695.7	Galvanized	sS	357
01.G37VTP270G	27	1,960	423	695.7	Galvanized	zZ	357

01.B47VTP270H	27	2,160	423	714.7	Bright	sS	357
01.B37VTP270H	27	2,160	423	714.7	Bright	zZ	357
01.G47VTP270H	27	2,160	423	714.7	Galvanized	sS	357
01.G37VTP270H	27	2,160	423	714.7	Galvanized	zZ	357
01.B47VTP280G	28	1,960	454	748.2	Bright	sS	384
01.B37VTP280G	28	1,960	454	748.2	Bright	zZ	384
01.G47VTP280G	28	1,960	454	748.2	Galvanized	sS	384
01.G37VTP280G	28	1,960	454	748.2	Galvanized	zZ	384
01.B47VTP280H	28	2,160	454	768.7	Bright	sS	384
01.B37VTP280H	28	2,160	454	768.7	Bright	zZ	384
01.G47VTP280H	28	2,160	454	768.7	Galvanized	sS	384
01.G37VTP280H	28	2,160	454	768.7	Galvanized	zZ	384
01.B47VTP286G	28.6	1,960	474	780.6	Bright	sS	401
01.B37VTP286G	28.6	1,960	474	780.6	Bright	zZ	401
01.G47VTP286G	28.6	1,960	474	780.6	Galvanized	sS	401
01.G37VTP286G	28.6	1,960	474	780.6	Galvanized	zZ	401
01.B47VTP286H	28.6	2,160	474	802	Bright	sS	401
01.B37VTP286H	28.6	2,160	474	802	Bright	zZ	401
01.G47VTP286H	28.6	2,160	474	802	Galvanized	sS	401
01.G37VTP286H	28.6	2,160	474	802	Galvanized	zZ	401
01.B47VTP290G	29	1,960	487	802.6	Bright	sS	412
01.B37VTP290G	29	1,960	487	802.6	Bright	zZ	412
01.G47VTP290G	29	1,960	487	802.6	Galvanized	sS	412

01.G37VTP290G	29	1,960	487	802.6	Galvanized	zZ	412
01.B47VTP290H	29	2,160	487	824.5	Bright	sS	412
01.B37VTP290H	29	2,160	487	824.5	Bright	zZ	412
01.G47VTP290H	29	2,160	487	824.5	Galvanized	sS	412
01.G37VTP290H	29	2,160	487	824.5	Galvanized	zZ	412
01.B47VTP300G	30	1,960	522	858.9	Bright	sS	441
01.B37VTP300G	30	1,960	522	858.9	Bright	zZ	441
01.G47VTP300G	30	1,960	522	858.9	Galvanized	sS	441
01.G37VTP300G	30	1,960	522	858.9	Galvanized	zZ	441
01.B47VTP300H	30	2,160	522	882.4	Bright	sS	441
01.B37VTP300H	30	2,160	522	882.4	Bright	zZ	441
01.G47VTP300H	30	2,160	522	882.4	Galvanized	sS	441
01.G37VTP300H	30	2,160	522	882.4	Galvanized	zZ	441
01.B47VTP310G	31	1,960	557	917.1	Bright	sS	471
01.B37VTP310G	31	1,960	557	917.1	Bright	zZ	471
01.G47VTP310G	31	1,960	557	917.1	Galvanized	sS	471
01.G37VTP310G	31	1,960	557	917.1	Galvanized	zZ	471
01.B47VTP310H	31	2,160	557	942.2	Bright	sS	471
01.B37VTP310H	31	2,160	557	942.2	Bright	zZ	471
01.G47VTP310H	31	2,160	557	942.2	Galvanized	sS	471
01.G37VTP310H	31	2,160	557	942.2	Galvanized	zZ	471
01.B47VTP320G	32	1,960	594	977.2	Bright	sS	502
01.B37VTP320G	32	1,960	594	977.2	Bright	zZ	502

01.G47VTP320G	32	1,960	594	977.2	Galvanized	sS	502
01.G37VTP320G	32	1,960	594	977.2	Galvanized	zZ	502
01.B47VTP320H	32	2,160	594	1,004	Bright	sS	502
01.B37VTP320H	32	2,160	594	1,004	Bright	zZ	502
01.G47VTP320H	32	2,160	594	1,004	Galvanized	sS	502
01.G37VTP320H	32	2,160	594	1,004	Galvanized	zZ	502
01.B47VTP330G	33	1,960	631	1,039	Bright	sS	533
01.B37VTP330G	33	1,960	631	1,039	Bright	zZ	533
01.G47VTP330G	33	1,960	631	1,039	Galvanized	sS	533
01.G37VTP330G	33	1,960	631	1,039	Galvanized	zZ	533
01.B47VTP330H	33	2,160	631	1,068	Bright	sS	533
01.B37VTP330H	33	2,160	631	1,068	Bright	zZ	533
01.G47VTP330H	33	2,160	631	1,068	Galvanized	sS	533
01.G37VTP330H	33	2,160	631	1,068	Galvanized	zZ	533
01.B47VTP340G	34	1,960	670	1,103	Bright	sS	566
01.B37VTP340G	34	1,960	670	1,103	Bright	zZ	566
01.G47VTP340G	34	1,960	670	1,103	Galvanized	sS	566
01.G37VTP340G	34	1,960	670	1,103	Galvanized	zZ	566
01.B47VTP340H	34	2,160	670	1,133	Bright	sS	566
01.B37VTP340H	34	2,160	670	1,133	Bright	zZ	566
01.G47VTP340H	34	2,160	670	1,133	Galvanized	sS	566
01.G37VTP340H	34	2,160	670	1,133	Galvanized	zZ	566
01.B47VTP350G	35	1,960	710	1,169	Bright	sS	600

01.B37VTP350G	35	1,960	710	1,169	Bright	zZ	600
01.G47VTP350G	35	1,960	710	1,169	Galvanized	sS	600
01.G37VTP350G	35	1,960	710	1,169	Galvanized	zZ	600
01.B47VTP350H	35	2,160	710	1,201	Bright	sS	600
01.B37VTP350H	35	2,160	710	1,201	Bright	zZ	600
01.G47VTP350H	35	2,160	710	1,201	Galvanized	sS	600
01.G37VTP350H	35	2,160	710	1,201	Galvanized	zZ	600
01.B47VTP360G	36	1,960	751	1,237	Bright	sS	635
01.B37VTP360G	36	1,960	751	1,237	Bright	zZ	635
01.G47VTP360G	36	1,960	751	1,237	Galvanized	sS	635
01.G37VTP360G	36	1,960	751	1,237	Galvanized	zZ	635
01.B47VTP360H	36	2,160	751	1,271	Bright	sS	635
01.B37VTP360H	36	2,160	751	1,271	Bright	zZ	635
01.G47VTP360H	36	2,160	751	1,271	Galvanized	sS	635
01.G37VTP360H	36	2,160	751	1,271	Galvanized	zZ	635
01.B47VTP380G	38	1,960	837	1,378	Bright	sS	707
01.B37VTP380G	38	1,960	837	1,378	Bright	zZ	707
01.G47VTP380G	38	1,960	837	1,378	Galvanized	sS	707
01.G37VTP380G	38	1,960	837	1,378	Galvanized	zZ	707
01.B47VTP380H	38	2,160	837	1,416	Bright	sS	707
01.B37VTP380H	38	2,160	837	1,416	Bright	zZ	707
01.G47VTP380H	38	2,160	837	1,416	Galvanized	sS	707
01.G37VTP380H	38	2,160	837	1,416	Galvanized	zZ	707

01.B47VTP400G	40	1,960	927	1,527	Bright	sS	784
01.B37VTP400G	40	1,960	927	1,527	Bright	zZ	784
01.G47VTP400G	40	1,960	927	1,527	Galvanized	sS	784
01.G37VTP400G	40	1,960	927	1,527	Galvanized	zZ	784
01.B47VTP400H	40	2,160	927	1,569	Bright	sS	784
01.B37VTP400H	40	2,160	927	1,569	Bright	zZ	784
01.G47VTP400H	40	2,160	927	1,569	Galvanized	sS	784
01.G37VTP400H	40	2,160	927	1,569	Galvanized	zZ	784
01.B47VTP410G	41	1,960	974	1,604	Bright	sS	823
01.B37VTP410G	41	1,960	974	1,604	Bright	zZ	823
01.G47VTP410G	41	1,960	974	1,604	Galvanized	sS	823
01.G37VTP410G	41	1,960	974	1,604	Galvanized	zZ	823
01.B47VTP410H	41	2,160	974	1,648	Bright	sS	823
01.B37VTP410H	41	2,160	974	1,648	Bright	zZ	823
01.G47VTP410H	41	2,160	974	1,648	Galvanized	sS	823
01.G37VTP410H	41	2,160	974	1,648	Galvanized	zZ	823
01.B47VTP420G	42	1,960	1,022	1,683	Bright	sS	864
01.B37VTP420G	42	1,960	1,022	1,683	Bright	zZ	864
01.G47VTP420G	42	1,960	1,022	1,683	Galvanized	sS	864
01.G37VTP420G	42	1,960	1,022	1,683	Galvanized	zZ	864
01.B47VTP420H	42	2,160	1,022	1,729	Bright	sS	864
01.B37VTP420H	42	2,160	1,022	1,729	Bright	zZ	864
01.G47VTP420H	42	2,160	1,022	1,729	Galvanized	sS	864

01.G37VTP420H	42	2,160	1,022	1,729	Galvanized	zZ	864
01.B47VTP430G	43	1,960	1,072	1,764	Bright	sS	906
01.B37VTP430G	43	1,960	1,072	1,764	Bright	zZ	906
01.G47VTP430G	43	1,960	1,072	1,764	Galvanized	sS	906
01.G37VTP430G	43	1,960	1,072	1,764	Galvanized	zZ	906
01.B47VTP430H	43	2,160	1,072	1,813	Bright	sS	906
01.B37VTP430H	43	2,160	1,072	1,813	Bright	zZ	906
01.G47VTP430H	43	2,160	1,072	1,813	Galvanized	sS	906
01.G37VTP430H	43	2,160	1,072	1,813	Galvanized	zZ	906
01.B47VTP440G	44	1,960	1,122	1,848	Bright	sS	948
01.B37VTP440G	44	1,960	1,122	1,848	Bright	zZ	948
01.G47VTP440G	44	1,960	1,122	1,848	Galvanized	sS	948
01.G37VTP440G	44	1,960	1,122	1,848	Galvanized	zZ	948
01.B47VTP440H	44	2,160	1,122	1,898	Bright	sS	948
01.B37VTP440H	44	2,160	1,122	1,898	Bright	zZ	948
01.G47VTP440H	44	2,160	1,122	1,898	Galvanized	sS	948
01.G37VTP440H	44	2,160	1,122	1,898	Galvanized	zZ	948
01.B47VTP450G	45	1,960	1,174	1,932	Bright	sS	992
01.B37VTP450G	45	1,960	1,174	1,932	Bright	zZ	992
01.G47VTP450G	45	1,960	1,174	1,932	Galvanized	sS	992
01.G37VTP450G	45	1,960	1,174	1,932	Galvanized	zZ	992
01.B47VTP450H	45	2,160	1,174	1,985	Bright	sS	992
01.B37VTP450H	45	2,160	1,174	1,985	Bright	zZ	992

01.G47VTP450H	45	2,160	1,174	1,985	Galvanized	sS	992
01.G37VTP450H	45	2,160	1,174	1,985	Galvanized	zZ	992
01.B47VTP460G	46	1,960	1,226	2,019	Bright	sS	1,036
01.B37VTP460G	46	1,960	1,226	2,019	Bright	zZ	1,036
01.G47VTP460G	46	1,960	1,226	2,019	Galvanized	sS	1,036
01.G37VTP460G	46	1,960	1,226	2,019	Galvanized	zZ	1,036
01.B47VTP460H	46	2,160	1,226	2,075	Bright	sS	1,036
01.B37VTP460H	46	2,160	1,226	2,075	Bright	zZ	1,036
01.G47VTP460H	46	2,160	1,226	2,075	Galvanized	sS	1,036
01.G37VTP460H	46	2,160	1,226	2,075	Galvanized	zZ	1,036
01.B47VTP480G	48	1,960	1,335	2,199	Bright	sS	1,129
01.B37VTP480G	48	1,960	1,335	2,199	Bright	zZ	1,129
01.G47VTP480G	48	1,960	1,335	2,199	Galvanized	sS	1,129
01.G37VTP480G	48	1,960	1,335	2,199	Galvanized	zZ	1,129
01.B47VTP480H	48	2,160	1,335	2,259	Bright	sS	1,129
01.B37VTP480H	48	2,160	1,335	2,259	Bright	zZ	1,129
01.G47VTP480H	48	2,160	1,335	2,259	Galvanized	sS	1,129
01.G37VTP480H	48	2,160	1,335	2,259	Galvanized	zZ	1,129
01.B47VTP500G	50	1,960	1,449	2,386	Bright	sS	1,225
01.B37VTP500G	50	1,960	1,449	2,386	Bright	zZ	1,225
01.G47VTP500G	50	1,960	1,449	2,386	Galvanized	sS	1,225
01.G37VTP500G	50	1,960	1,449	2,386	Galvanized	zZ	1,225
01.B47VTP500H	50	2,160	1,449	2,451	Bright	sS	1,225



01.B37VTP500H	50	2,160	1,449	2,451	Bright	zZ	1,225
01.G47VTP500H	50	2,160	1,449	2,451	Galvanized	sS	1,225
01.G37VTP500H	50	2,160	1,449	2,451	Galvanized	zZ	1,225
01.B47VTP520G	52	1,960	1,567	2,580	Bright	sS	1,324
01.B37VTP520G	52	1,960	1,567	2,580	Bright	zZ	1,324
01.G47VTP520G	52	1,960	1,567	2,580	Galvanized	sS	1,324
01.G37VTP520G	52	1,960	1,567	2,580	Galvanized	zZ	1,324
01.B47VTP520H	52	2,160	1,567	2,651	Bright	sS	1,324
01.B37VTP520H	52	2,160	1,567	2,651	Bright	zZ	1,324
01.G47VTP520H	52	2,160	1,567	2,651	Galvanized	sS	1,324
01.G37VTP520H	52	2,160	1,567	2,651	Galvanized	zZ	1,324
01.B47VTP540G	54	1,960	1,690	2,783	Bright	sS	1,428
01.B37VTP540G	54	1,960	1,690	2,783	Bright	zZ	1,428
01.G47VTP540G	54	1,960	1,690	2,783	Galvanized	sS	1,428
01.G37VTP540G	54	1,960	1,690	2,783	Galvanized	zZ	1,428
01.B47VTP560G	56	1,960	1,818	2,993	Bright	sS	1,536
01.B37VTP560G	56	1,960	1,818	2,993	Bright	zZ	1,536
01.G47VTP560G	56	1,960	1,818	2,993	Galvanized	sS	1,536
01.G37VTP560G	56	1,960	1,818	2,993	Galvanized	zZ	1,536

## Technical data