



Mobile crane



Piling crane



Steel Wire Rope verotop S

Product information



Wire rope construction: verotop S is a very flexible rotation-resistant rope with compacted outer strands and very high breaking strength.

Features:

- Very strong compacted rotation-resistant rope.
- Achieves very good bending fatigue results.
- Offers excellent resistance to crushing and abrasion.
- Possesses perfect spooling behavior on multilayer drum.

ISO 4309 Rope Category No: All Diameters **RCN.23-2.**

Marking: According to standard

Standard: EN 12385-4

Note: verotop S can be used either with or without swivel.

Fill factor: 0.742

RCN: 23-2

Tolerance Ø: +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Steel area mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.B47VPS130G	13	1,960	98	166	Bright	sS	85
01.B37VPS130G	13	1,960	98	166	Bright	zZ	85
01.G47VPS130G	13	1,960	98	166	Galvanized	sS	85
01.G37VPS130G	13	1,960	98	166	Galvanized	zZ	85

01.B47VPS130H	13	2,160	98	172.8	Bright	sS	85
01.B37VPS130H	13	2,160	98	172.8	Bright	zZ	85
01.G47VPS130H	13	2,160	98	172.8	Galvanized	sS	85
01.G37VPS130H	13	2,160	98	172.8	Galvanized	zZ	85
01.B47VPS140G	14	1,960	114	192.5	Bright	sS	98
01.B37VPS140G	14	1,960	114	192.5	Bright	zZ	98
01.G47VPS140G	14	1,960	114	192.5	Galvanized	sS	98
01.G37VPS140G	14	1,960	114	192.5	Galvanized	zZ	98
01.B47VPS140H	14	2,160	114	200.4	Bright	sS	98
01.B37VPS140H	14	2,160	114	200.4	Bright	zZ	98
01.G47VPS140H	14	2,160	114	200.4	Galvanized	sS	98
01.G37VPS140H	14	2,160	114	200.4	Galvanized	zZ	98
01.B47VPS150G	15	1,960	131	221	Bright	sS	113
01.B37VPS150G	15	1,960	131	221	Bright	zZ	113
01.G47VPS150G	15	1,960	131	221	Galvanized	sS	113
01.G37VPS150G	15	1,960	131	221	Galvanized	zZ	113
01.B47VPS150H	15	2,160	131	230.1	Bright	sS	113
01.B37VPS150H	15	2,160	131	230.1	Bright	zZ	113
01.G47VPS150H	15	2,160	131	230.1	Galvanized	sS	113
01.G37VPS150H	15	2,160	131	230.1	Galvanized	zZ	113
01.B47VPS160G	16	1,960	150	251.4	Bright	sS	128
01.B37VPS160G	16	1,960	150	251.4	Bright	zZ	128
01.G47VPS160G	16	1,960	150	251.4	Galvanized	sS	128

01.G37VPS160G	16	1,960	150	251.4	Galvanized	zZ	128
01.B47VPS160H	16	2,160	150	261.8	Bright	sS	128
01.B37VPS160H	16	2,160	150	261.8	Bright	zZ	128
01.G47VPS160H	16	2,160	150	261.8	Galvanized	sS	128
01.G37VPS160H	16	2,160	150	261.8	Galvanized	zZ	128
01.B47VPS170G	17	1,960	169	283.8	Bright	sS	145
01.B37VPS170G	17	1,960	169	283.8	Bright	zZ	145
01.G47VPS170G	17	1,960	169	283.8	Galvanized	sS	145
01.G37VPS170G	17	1,960	169	283.8	Galvanized	zZ	145
01.B47VPS170H	17	2,160	169	295.5	Bright	sS	145
01.B37VPS170H	17	2,160	169	295.5	Bright	zZ	145
01.G47VPS170H	17	2,160	169	295.5	Galvanized	sS	145
01.G37VPS170H	17	2,160	169	295.5	Galvanized	zZ	145
01.B47VPS180G	18	1,960	190	318.2	Bright	sS	162
01.B37VPS180G	18	1,960	190	318.2	Bright	zZ	162
01.G47VPS180G	18	1,960	190	318.2	Galvanized	sS	162
01.G37VPS180G	18	1,960	190	318.2	Galvanized	zZ	162
01.B47VPS180H	18	2,160	190	331.3	Bright	sS	162
01.B37VPS180H	18	2,160	190	331.3	Bright	zZ	162
01.G47VPS180H	18	2,160	190	331.3	Galvanized	sS	162
01.G37VPS180H	18	2,160	190	331.3	Galvanized	zZ	162
01.B47VPS190G	19	1,960	212	354.5	Bright	sS	181
01.B37VPS190G	19	1,960	212	354.5	Bright	zZ	181

01.G47VPS190G	19	1,960	212	354.5	Galvanized	sS	181
01.G37VPS190G	19	1,960	212	354.5	Galvanized	zZ	181
01.B47VPS190H	19	2,160	212	369.2	Bright	sS	181
01.B37VPS190H	19	2,160	212	369.2	Bright	zZ	181
01.G47VPS190H	19	2,160	212	369.2	Galvanized	sS	181
01.G37VPS190H	19	2,160	212	369.2	Galvanized	zZ	181
01.B47VPS200G	20	1,960	235	392.8	Bright	sS	200
01.B37VPS200G	20	1,960	235	392.8	Bright	zZ	200
01.G47VPS200G	20	1,960	235	392.8	Galvanized	sS	200
01.G37VPS200G	20	1,960	235	392.8	Galvanized	zZ	200
01.B47VPS200H	20	2,160	235	409	Bright	sS	200
01.B37VPS200H	20	2,160	235	409	Bright	zZ	200
01.G47VPS200H	20	2,160	235	409	Galvanized	sS	200
01.G37VPS200H	20	2,160	235	409	Galvanized	zZ	200
01.B47VPS210G	21	1,960	260	433.1	Bright	sS	221
01.B37VPS210G	21	1,960	260	433.1	Bright	zZ	221
01.G47VPS210G	21	1,960	260	433.1	Galvanized	sS	221
01.G37VPS210G	21	1,960	260	433.1	Galvanized	zZ	221
01.B47VPS210H	21	2,160	260	451	Bright	sS	221
01.B37VPS210H	21	2,160	260	451	Bright	zZ	221
01.G47VPS210H	21	2,160	260	451	Galvanized	sS	221
01.G37VPS210H	21	2,160	260	451	Galvanized	zZ	221
01.B47VPS220G	22	1,960	285	475.3	Bright	sS	243

01.B37VPS220G	22	1,960	285	475.3	Bright	zZ	243
01.G47VPS220G	22	1,960	285	475.3	Galvanized	sS	243
01.G37VPS220G	22	1,960	285	475.3	Galvanized	zZ	243
01.B47VPS220H	22	2,160	285	494.9	Bright	sS	243
01.B37VPS220H	22	2,160	285	494.9	Bright	zZ	243
01.G47VPS220H	22	2,160	285	494.9	Galvanized	sS	243
01.G37VPS220H	22	2,160	285	494.9	Galvanized	zZ	243
01.B47VPS224G	22.4	1,960	290	492.8	Bright	sS	251
01.B37VPS224G	22.4	1,960	290	492.8	Bright	zZ	251
01.G47VPS224G	22.4	1,960	290	492.8	Galvanized	sS	251
01.G37VPS224G	22.4	1,960	290	492.8	Galvanized	zZ	251
01.B47VPS224H	22.4	2,160	290	513.1	Bright	sS	251
01.B37VPS224H	22.4	2,160	290	513.1	Bright	zZ	251
01.G47VPS224H	22.4	2,160	290	513.1	Galvanized	sS	251
01.G37VPS224H	22.4	2,160	290	513.1	Galvanized	zZ	251
01.B47VPS230G	23	1,960	312	519.5	Bright	sS	265
01.B37VPS230G	23	1,960	312	519.5	Bright	zZ	265
01.G47VPS230G	23	1,960	312	519.5	Galvanized	sS	265
01.G37VPS230G	23	1,960	312	519.5	Galvanized	zZ	265
01.B47VPS230H	23	2,160	312	541	Bright	sS	265
01.B37VPS230H	23	2,160	312	541	Bright	zZ	265
01.G47VPS230H	23	2,160	312	541	Galvanized	sS	265
01.G37VPS230H	23	2,160	312	541	Galvanized	zZ	265

01.B47VPS240G	24	1,960	340	565.7	Bright	sS	289
01.B37VPS240G	24	1,960	340	565.7	Bright	zZ	289
01.G47VPS240G	24	1,960	340	565.7	Galvanized	sS	289
01.G37VPS240G	24	1,960	340	565.7	Galvanized	zZ	289
01.B47VPS240H	24	2,160	340	589	Bright	sS	289
01.B37VPS240H	24	2,160	340	589	Bright	zZ	289
01.G47VPS240H	24	2,160	340	589	Galvanized	sS	289
01.G37VPS240H	24	2,160	340	589	Galvanized	zZ	289
01.B47VPS250G	25	1,960	369	613.8	Bright	sS	313
01.B37VPS250G	25	1,960	369	613.8	Bright	zZ	313
01.G47VPS250G	25	1,960	369	613.8	Galvanized	sS	313
01.G37VPS250G	25	1,960	369	613.8	Galvanized	zZ	313
01.B47VPS250H	25	2,160	369	639.1	Bright	sS	313
01.B37VPS250H	25	2,160	369	639.1	Bright	zZ	313
01.G47VPS250H	25	2,160	369	639.1	Galvanized	sS	313
01.G37VPS250H	25	2,160	369	639.1	Galvanized	zZ	313
01.B47VPS254G	25.4	1,960	381	633.6	Bright	sS	323
01.B37VPS254G	25.4	1,960	381	633.6	Bright	zZ	323
01.G47VPS254G	25.4	1,960	381	633.6	Galvanized	sS	323
01.G37VPS254G	25.4	1,960	381	633.6	Galvanized	zZ	323
01.B47VPS254H	25.4	2,160	381	659.7	Bright	sS	323
01.B37VPS254H	25.4	2,160	381	659.7	Bright	zZ	323
01.G47VPS254H	25.4	2,160	381	659.7	Galvanized	sS	323

01.G37VPS254H	25.4	2,160	381	659.7	Galvanized	zZ	323
01.B47VPS260G	26	1,960	399	663.9	Bright	sS	339
01.B37VPS260G	26	1,960	399	663.9	Bright	zZ	339
01.G47VPS260G	26	1,960	399	663.9	Galvanized	sS	339
01.G37VPS260G	26	1,960	399	663.9	Galvanized	zZ	339
01.B47VPS260H	26	2,160	399	691.3	Bright	sS	339
01.B37VPS260H	26	2,160	399	691.3	Bright	zZ	339
01.G47VPS260H	26	2,160	399	691.3	Galvanized	sS	339
01.G37VPS260H	26	2,160	399	691.3	Galvanized	zZ	339
01.B47VPS270G	27	1,960	430	715.9	Bright	sS	365
01.B37VPS270G	27	1,960	430	715.9	Bright	zZ	365
01.G47VPS270G	27	1,960	430	715.9	Galvanized	sS	365
01.G37VPS270G	27	1,960	430	715.9	Galvanized	zZ	365
01.B47VPS270H	27	2,160	430	745.5	Bright	sS	365
01.B37VPS270H	27	2,160	430	745.5	Bright	zZ	365
01.G47VPS270H	27	2,160	430	745.5	Galvanized	sS	365
01.G37VPS270H	27	2,160	430	745.5	Galvanized	zZ	365
01.B47VPS280G	28	1,960	463	770	Bright	sS	393
01.B37VPS280G	28	1,960	463	770	Bright	zZ	393
01.G47VPS280G	28	1,960	463	770	Galvanized	sS	393
01.G37VPS280G	28	1,960	463	770	Galvanized	zZ	393
01.B47VPS280H	28	2,160	463	801.7	Bright	sS	393
01.B37VPS280H	28	2,160	463	801.7	Bright	zZ	393

01.G47VPS280H	28	2,160	463	801.7	Galvanized	sS	393
01.G37VPS280H	28	2,160	463	801.7	Galvanized	zZ	393
01.B47VPS286G	28.6	1,960	483	803.3	Bright	sS	410
01.B37VPS286G	28.6	1,960	483	803.3	Bright	zZ	410
01.G47VPS286G	28.6	1,960	483	803.3	Galvanized	sS	410
01.G37VPS286G	28.6	1,960	483	803.3	Galvanized	zZ	410
01.B47VPS286H	28.6	2,160	483	836.5	Bright	sS	410
01.B37VPS286H	28.6	2,160	483	836.5	Bright	zZ	410
01.G47VPS286H	28.6	2,160	483	836.5	Galvanized	sS	410
01.G37VPS286H	28.6	2,160	483	836.5	Galvanized	zZ	410
01.B47VPS290G	29	1,960	497	825.9	Bright	sS	421
01.B37VPS290G	29	1,960	497	825.9	Bright	zZ	421
01.G47VPS290G	29	1,960	497	825.9	Galvanized	sS	421
01.G37VPS290G	29	1,960	497	825.9	Galvanized	zZ	421
01.B47VPS290H	29	2,160	497	860	Bright	sS	421
01.B37VPS290H	29	2,160	497	860	Bright	zZ	421
01.G47VPS290H	29	2,160	497	860	Galvanized	sS	421
01.G37VPS290H	29	2,160	497	860	Galvanized	zZ	421
01.B47VPS300G	30	1,960	532	883.9	Bright	sS	451
01.B37VPS300G	30	1,960	532	883.9	Bright	zZ	451
01.G47VPS300G	30	1,960	532	883.9	Galvanized	sS	451
01.G37VPS300G	30	1,960	532	883.9	Galvanized	zZ	451
01.B47VPS300H	30	2,160	532	920.4	Bright	sS	451

01.B37VPS300H	30	2,160	532	920.4	Bright	zZ	451
01.G47VPS300H	30	2,160	532	920.4	Galvanized	sS	451
01.G37VPS300H	30	2,160	532	920.4	Galvanized	zZ	451
01.B47VPS310G	31	1,960	568	943.8	Bright	sS	482
01.B37VPS310G	31	1,960	568	943.8	Bright	zZ	482
01.G47VPS310G	31	1,960	568	943.8	Galvanized	sS	482
01.G37VPS310G	31	1,960	568	943.8	Galvanized	zZ	482
01.B47VPS310H	31	2,160	568	982.7	Bright	sS	482
01.B37VPS310H	31	2,160	568	982.7	Bright	zZ	482
01.G47VPS310H	31	2,160	568	982.7	Galvanized	sS	482
01.G37VPS310H	31	2,160	568	982.7	Galvanized	zZ	482