



Offshore crane



## Steel Wire Rope verotop XP

### Product information



**Wire rope construction:** verotop XP is a rotary swaged rotation-resistant rope with compacted strands and a rope core covered with a plastic layer.

#### Features:

- The strongest of all rotation-resistant ropes.
- Very stable rope structure and achieves good bending fatigue results.
- It also avoids internal wear and protects the core in corrosive environments.
- Offers superior crushing resistance and best resistance to abrasion.
- Possesses perfect spooling behavior on multilayer drum.

**ISO 4309 Rope Category No:** All Diameters **RCN.23-1**

**Marking:** According to standard

**Standard:** EN 12385-4

**Note:** verotop XP can be used either with or without swivel.

**Fill factor:** 0.745

**RCN:** 23-1

**Tolerance Ø:** +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.B48VXP120G	12	1,960	84	140.4	Bright	sS	72
01.B38VXP120G	12	1,960	84	140.4	Bright	zZ	72
01.G48VXP120G	12	1,960	84	140.4	Galvanized	sS	72
01.G38VXP120G	12	1,960	84	140.4	Galvanized	zZ	72

01.B33VXP120G	12	1,960	84	140.4	Bright	sZ	72
01.G33VXP120G	12	1,960	84	140.4	Galvanized	sZ	72
01.B48VXP120H	12	2,160	84	152.9	Bright	sS	72
01.B38VXP120H	12	2,160	84	152.9	Bright	zZ	72
01.G48VXP120H	12	2,160	84	152.9	Galvanized	sS	72
01.G38VXP120H	12	2,160	84	152.9	Galvanized	zZ	72
01.B33VXP120H	12	2,160	84	152.9	Bright	sZ	72
01.G33VXP120H	12	2,160	84	152.9	Galvanized	sZ	72
01.B48VXP127G	12.7	1,960	94	157.2	Bright	sS	81
01.B38VXP127G	12.7	1,960	94	157.2	Bright	zZ	81
01.G48VXP127G	12.7	1,960	94	157.2	Galvanized	sS	81
01.G38VXP127G	12.7	1,960	94	157.2	Galvanized	zZ	81
01.B33VXP127G	12.7	1,960	94	157.2	Bright	sZ	81
01.G33VXP127G	12.7	1,960	94	157.2	Galvanized	sZ	81
01.B48VXP127H	12.7	2,160	94	171.2	Bright	sS	81
01.B38VXP127H	12.7	2,160	94	171.2	Bright	zZ	81
01.G48VXP127H	12.7	2,160	94	171.2	Galvanized	sS	81
01.G38VXP127H	12.7	2,160	94	171.2	Galvanized	zZ	81
01.B33VXP127H	12.7	2,160	94	171.2	Bright	sZ	81
01.G33VXP127H	12.7	2,160	94	171.2	Galvanized	sZ	81
01.B48VXP130G	13	1,960	99	164.7	Bright	sS	84
01.B38VXP130G	13	1,960	99	164.7	Bright	zZ	84
01.G48VXP130G	13	1,960	99	164.7	Galvanized	sS	84

01.G38VXP130G	13	1,960	99	164.7	Galvanized	zZ	84
01.B33VXP130G	13	1,960	99	164.7	Bright	sZ	84
01.G33VXP130G	13	1,960	99	164.7	Galvanized	sZ	84
01.B48VXP130H	13	2,160	99	179.4	Bright	sS	84
01.B38VXP130H	13	2,160	99	179.4	Bright	zZ	84
01.G48VXP130H	13	2,160	99	179.4	Galvanized	sS	84
01.G38VXP130H	13	2,160	99	179.4	Galvanized	zZ	84
01.B33VXP130H	13	2,160	99	179.4	Bright	sZ	84
01.G33VXP130H	13	2,160	99	179.4	Galvanized	sZ	84
01.B48VXP140G	14	1,960	115	191	Bright	sS	98
01.B38VXP140G	14	1,960	115	191	Bright	zZ	98
01.G48VXP140G	14	1,960	115	191	Galvanized	sS	98
01.G38VXP140G	14	1,960	115	191	Galvanized	zZ	98
01.B33VXP140G	14	1,960	115	191	Bright	sZ	98
01.G33VXP140G	14	1,960	115	191	Galvanized	sZ	98
01.B48VXP140H	14	2,160	115	208.1	Bright	sS	98
01.B38VXP140H	14	2,160	115	208.1	Bright	zZ	98
01.G48VXP140H	14	2,160	115	208.1	Galvanized	sS	98
01.G38VXP140H	14	2,160	115	208.1	Galvanized	zZ	98
01.B33VXP140H	14	2,160	115	208.1	Bright	sZ	98
01.G33VXP140H	14	2,160	115	208.1	Galvanized	sZ	98
01.B48VXP150G	15	1,960	132	219.3	Bright	sS	113
01.B38VXP150G	15	1,960	132	219.3	Bright	zZ	113

01.G48VXP150G	15	1,960	132	219.3	Galvanized	sS	113
01.G38VXP150G	15	1,960	132	219.3	Galvanized	zZ	113
01.B33VXP150G	15	1,960	132	219.3	Bright	sZ	113
01.G33VXP150G	15	1,960	132	219.3	Galvanized	sZ	113
01.B48VXP150H	15	2,160	132	238.9	Bright	sS	113
01.B38VXP150H	15	2,160	132	238.9	Bright	zZ	113
01.G48VXP150H	15	2,160	132	238.9	Galvanized	sS	113
01.G38VXP150H	15	2,160	132	238.9	Galvanized	zZ	113
01.B33VXP150H	15	2,160	132	238.9	Bright	sZ	113
01.G33VXP150H	15	2,160	132	238.9	Galvanized	sZ	113
01.B48VXP160G	16	1,960	150	249.6	Bright	sS	128
01.B38VXP160G	16	1,960	150	249.6	Bright	zZ	128
01.G48VXP160G	16	1,960	150	249.6	Galvanized	sS	128
01.G38VXP160G	16	1,960	150	249.6	Galvanized	zZ	128
01.B33VXP160G	16	1,960	150	249.6	Bright	sZ	128
01.G33VXP160G	16	1,960	150	249.6	Galvanized	sZ	128
01.B48VXP160H	16	2,160	150	271.8	Bright	sS	128
01.B38VXP160H	16	2,160	150	271.8	Bright	zZ	128
01.G48VXP160H	16	2,160	150	271.8	Galvanized	sS	128
01.G38VXP160H	16	2,160	150	271.8	Galvanized	zZ	128
01.B33VXP160H	16	2,160	150	271.8	Bright	sZ	128
01.G33VXP160H	16	2,160	150	271.8	Galvanized	sZ	128
01.B48VXP170G	17	1,960	169	281.7	Bright	sS	145

01.B38VXP170G	17	1,960	169	281.7	Bright	zZ	145
01.G48VXP170G	17	1,960	169	281.7	Galvanized	sS	145
01.G38VXP170G	17	1,960	169	281.7	Galvanized	zZ	145
01.B33VXP170G	17	1,960	169	281.7	Bright	sZ	145
01.G33VXP170G	17	1,960	169	281.7	Galvanized	sZ	145
01.B48VXP170H	17	2,160	169	306.8	Bright	sS	145
01.B38VXP170H	17	2,160	169	306.8	Bright	zZ	145
01.G48VXP170H	17	2,160	169	306.8	Galvanized	sS	145
01.G38VXP170H	17	2,160	169	306.8	Galvanized	zZ	145
01.B33VXP170H	17	2,160	169	306.8	Bright	sZ	145
01.G33VXP170H	17	2,160	169	306.8	Galvanized	sZ	145
01.B48VXP180G	18	1,960	190	315.8	Bright	sS	162
01.B38VXP180G	18	1,960	190	315.8	Bright	zZ	162
01.G48VXP180G	18	1,960	190	315.8	Galvanized	sS	162
01.G38VXP180G	18	1,960	190	315.8	Galvanized	zZ	162
01.B33VXP180G	18	1,960	190	315.8	Bright	sZ	162
01.G33VXP180G	18	1,960	190	315.8	Galvanized	sZ	162
01.B48VXP180H	18	2,160	190	344	Bright	sS	162
01.B38VXP180H	18	2,160	190	344	Bright	zZ	162
01.G48VXP180H	18	2,160	190	344	Galvanized	sS	162
01.G38VXP180H	18	2,160	190	344	Galvanized	zZ	162
01.B33VXP180H	18	2,160	190	344	Bright	sZ	162
01.G33VXP180H	18	2,160	190	344	Galvanized	sZ	162

01.B48VXP190G	19	1,960	211	351.9	Bright	sS	181
01.B38VXP190G	19	1,960	211	351.9	Bright	zZ	181
01.G48VXP190G	19	1,960	211	351.9	Galvanized	sS	181
01.G38VXP190G	19	1,960	211	351.9	Galvanized	zZ	181
01.B33VXP190G	19	1,960	211	351.9	Bright	sZ	181
01.G33VXP190G	19	1,960	211	351.9	Galvanized	sZ	181
01.B48VXP190H	19	2,160	211	383.3	Bright	sS	181
01.B38VXP190H	19	2,160	211	383.3	Bright	zZ	181
01.G48VXP190H	19	2,160	211	383.3	Galvanized	sS	181
01.G38VXP190H	19	2,160	211	383.3	Galvanized	zZ	181
01.B33VXP190H	19	2,160	211	383.3	Bright	sZ	181
01.G33VXP190H	19	2,160	211	383.3	Galvanized	sZ	181
01.B48VXP200G	20	1,960	234	389.9	Bright	sS	200
01.B38VXP200G	20	1,960	234	389.9	Bright	zZ	200
01.G48VXP200G	20	1,960	234	389.9	Galvanized	sS	200
01.G38VXP200G	20	1,960	234	389.9	Galvanized	zZ	200
01.B33VXP200G	20	1,960	234	389.9	Bright	sZ	200
01.G33VXP200G	20	1,960	234	389.9	Galvanized	sZ	200
01.B48VXP200H	20	2,160	234	424.7	Bright	sS	200
01.B38VXP200H	20	2,160	234	424.7	Bright	zZ	200
01.G48VXP200H	20	2,160	234	424.7	Galvanized	sS	200
01.G38VXP200H	20	2,160	234	424.7	Galvanized	zZ	200
01.B33VXP200H	20	2,160	234	424.7	Bright	sZ	200

01.G33VXP200H	20	2,160	234	424.7	Galvanized	sZ	200
01.B48VXP210G	21	1,960	258	429.9	Bright	sS	221
01.B38VXP210G	21	1,960	258	429.9	Bright	zZ	221
01.G48VXP210G	21	1,960	258	429.9	Galvanized	sS	221
01.G38VXP210G	21	1,960	258	429.9	Galvanized	zZ	221
01.B33VXP210G	21	1,960	258	429.9	Bright	sZ	221
01.G33VXP210G	21	1,960	258	429.9	Galvanized	sZ	221
01.B48VXP210H	21	2,160	258	468.2	Bright	sS	221
01.B38VXP210H	21	2,160	258	468.2	Bright	zZ	221
01.G48VXP210H	21	2,160	258	468.2	Galvanized	sS	221
01.G38VXP210H	21	2,160	258	468.2	Galvanized	zZ	221
01.B33VXP210H	21	2,160	258	468.2	Bright	sZ	221
01.G33VXP210H	21	2,160	258	468.2	Galvanized	sZ	221
01.B48VXP220G	22	1,960	283	471.8	Bright	sS	242
01.B38VXP220G	22	1,960	283	471.8	Bright	zZ	242
01.G48VXP220G	22	1,960	283	471.8	Galvanized	sS	242
01.G38VXP220G	22	1,960	283	471.8	Galvanized	zZ	242
01.B33VXP220G	22	1,960	283	471.8	Bright	sZ	242
01.G33VXP220G	22	1,960	283	471.8	Galvanized	sZ	242
01.B48VXP220H	22	2,160	283	513.8	Bright	sS	242
01.B38VXP220H	22	2,160	283	513.8	Bright	zZ	242
01.G48VXP220H	22	2,160	283	513.8	Galvanized	sS	242
01.G38VXP220H	22	2,160	283	513.8	Galvanized	zZ	242

01.B33VXP220H	22	2,160	283	513.8	Bright	sZ	242
01.G33VXP220H	22	2,160	283	513.8	Galvanized	sZ	242
01.B48VXP224G	22.4	1,960	288	489.1	Bright	sS	251
01.B38VXP224G	22.4	1,960	288	489.1	Bright	zZ	251
01.G48VXP224G	22.4	1,960	288	489.1	Galvanized	sS	251
01.G38VXP224G	22.4	1,960	288	489.1	Galvanized	zZ	251
01.B33VXP224G	22.4	1,960	288	489.1	Bright	sZ	251
01.G33VXP224G	22.4	1,960	288	489.1	Galvanized	sZ	251
01.B48VXP224H	22.4	2,160	288	532.7	Bright	sS	251
01.B38VXP224H	22.4	2,160	288	532.7	Bright	zZ	251
01.G48VXP224H	22.4	2,160	288	532.7	Galvanized	sS	251
01.G38VXP224H	22.4	2,160	288	532.7	Galvanized	zZ	251
01.B33VXP224H	22.4	2,160	288	532.7	Bright	sZ	251
01.G33VXP224H	22.4	2,160	288	532.7	Galvanized	sZ	251
01.B48VXP230G	23	1,960	310	515.7	Bright	sS	265
01.B38VXP230G	23	1,960	310	515.7	Bright	zZ	265
01.G48VXP230G	23	1,960	310	515.7	Galvanized	sS	265
01.G38VXP230G	23	1,960	310	515.7	Galvanized	zZ	265
01.B33VXP230G	23	1,960	310	515.7	Bright	sZ	265
01.G33VXP230G	23	1,960	310	515.7	Galvanized	sZ	265
01.B48VXP230H	23	2,160	310	561.6	Bright	sS	265
01.B38VXP230H	23	2,160	310	561.6	Bright	zZ	265
01.G48VXP230H	23	2,160	310	561.6	Galvanized	sS	265



01.G38VXP230H	23	2,160	310	561.6	Galvanized	zZ	265
01.B33VXP230H	23	2,160	310	561.6	Bright	sZ	265
01.G33VXP230H	23	2,160	310	561.6	Galvanized	sZ	265
01.B48VXP240G	24	1,960	337	561.5	Bright	sS	288
01.B38VXP240G	24	1,960	337	561.5	Bright	zZ	288
01.G48VXP240G	24	1,960	337	561.5	Galvanized	sS	288
01.G38VXP240G	24	1,960	337	561.5	Galvanized	zZ	288
01.B33VXP240G	24	1,960	337	561.5	Bright	sZ	288
01.G33VXP240G	24	1,960	337	561.5	Galvanized	sZ	288
01.B48VXP240H	24	2,160	337	611.5	Bright	sS	288
01.B38VXP240H	24	2,160	337	611.5	Bright	zZ	288
01.G48VXP240H	24	2,160	337	611.5	Galvanized	sS	288
01.G38VXP240H	24	2,160	337	611.5	Galvanized	zZ	288
01.B33VXP240H	24	2,160	337	611.5	Bright	sZ	288
01.G33VXP240H	24	2,160	337	611.5	Galvanized	sZ	288
01.B48VXP250G	25	1,960	366	609.3	Bright	sS	313
01.B38VXP250G	25	1,960	366	609.3	Bright	zZ	313
01.G48VXP250G	25	1,960	366	609.3	Galvanized	sS	313
01.G38VXP250G	25	1,960	366	609.3	Galvanized	zZ	313
01.B33VXP250G	25	1,960	366	609.3	Bright	sZ	313
01.G33VXP250G	25	1,960	366	609.3	Galvanized	sZ	313
01.B48VXP250H	25	2,160	366	663.5	Bright	sS	313
01.B38VXP250H	25	2,160	366	663.5	Bright	zZ	313

01.G48VXP250H	25	2,160	366	663.5	Galvanized	sS	313
01.G38VXP250H	25	2,160	366	663.5	Galvanized	zZ	313
01.B33VXP250H	25	2,160	366	663.5	Bright	sZ	313
01.G33VXP250H	25	2,160	366	663.5	Galvanized	sZ	313
01.G33VXP254G	25.4	1,960	377	628.9	Galvanized	sZ	323
01.G38VXP254G	25.4	1,960	377	628.9	Galvanized	zZ	323
01.G48VXP254G	25.4	1,960	377	628.9	Galvanized	sS	323
01.B33VXP254G	25.4	1,960	377	628.9	Bright	sZ	323
01.B38VXP254G	25.4	1,960	377	628.9	Bright	zZ	323
01.B48VXP254G	25.4	1,960	377	628.9	Bright	sS	323
01.G33VXP254H	25.4	2,160	377	684.9	Galvanized	sZ	323
01.G38VXP254H	25.4	2,160	377	684.9	Galvanized	zZ	323
01.G48VXP254H	25.4	2,160	377	684.9	Galvanized	sS	323
01.B33VXP254H	25.4	2,160	377	684.9	Bright	sZ	323
01.B38VXP254H	25.4	2,160	377	684.9	Bright	zZ	323
01.B48VXP254H	25.4	2,160	377	684.9	Bright	sS	323
01.G33VXP260G	26	1,960	396	659	Galvanized	sZ	338
01.G38VXP260G	26	1,960	396	659	Galvanized	zZ	338
01.G48VXP260G	26	1,960	396	659	Galvanized	sS	338
01.B33VXP260G	26	1,960	396	659	Bright	sZ	338
01.B38VXP260G	26	1,960	396	659	Bright	zZ	338
01.B48VXP260G	26	1,960	396	659	Bright	sS	338
01.G33VXP260H	26	2,160	396	717.7	Galvanized	sZ	338

01.G38VXP260H	26	2,160	396	717.7	Galvanized	zZ	338
01.G48VXP260H	26	2,160	396	717.7	Galvanized	sS	338
01.B33VXP260H	26	2,160	396	717.7	Bright	sZ	338
01.B38VXP260H	26	2,160	396	717.7	Bright	zZ	338
01.B48VXP260H	26	2,160	396	717.7	Bright	sS	338
01.G33VXP270G	27	1,960	427	710.6	Galvanized	sZ	365
01.G38VXP270G	27	1,960	427	710.6	Galvanized	zZ	365
01.G48VXP270G	27	1,960	427	710.6	Galvanized	sS	365
01.B33VXP270G	27	1,960	427	710.6	Bright	sZ	365
01.B38VXP270G	27	1,960	427	710.6	Bright	zZ	365
01.B48VXP270G	27	1,960	427	710.6	Bright	sS	365
01.G33VXP270H	27	2,160	427	773.9	Galvanized	sZ	365
01.G38VXP270H	27	2,160	427	773.9	Galvanized	zZ	365
01.G48VXP270H	27	2,160	427	773.9	Galvanized	sS	365
01.B33VXP270H	27	2,160	427	773.9	Bright	sZ	365
01.B38VXP270H	27	2,160	427	773.9	Bright	zZ	365
01.B48VXP270H	27	2,160	427	773.9	Bright	sS	365
01.G33VXP280G	28	1,960	459	764.3	Galvanized	sZ	392
01.G38VXP280G	28	1,960	459	764.3	Galvanized	zZ	392
01.G48VXP280G	28	1,960	459	764.3	Galvanized	sS	392
01.B33VXP280G	28	1,960	459	764.3	Bright	sZ	392
01.B38VXP280G	28	1,960	459	764.3	Bright	zZ	392
01.B48VXP280G	28	1,960	459	764.3	Bright	sS	392

01.G33VXP280H	28	2,160	459	832.3	Galvanized	sZ	392
01.G38VXP280H	28	2,160	459	832.3	Galvanized	zZ	392
01.G48VXP280H	28	2,160	459	832.3	Galvanized	sS	392
01.B33VXP280H	28	2,160	459	832.3	Bright	sZ	392
01.B38VXP280H	28	2,160	459	832.3	Bright	zZ	392
01.B48VXP280H	28	2,160	459	832.3	Bright	sS	392
01.G33VXP286G	28.6	1,960	479	797.4	Galvanized	sZ	409
01.G38VXP286G	28.6	1,960	479	797.4	Galvanized	zZ	409
01.G48VXP286G	28.6	1,960	479	797.4	Galvanized	sS	409
01.B33VXP286G	28.6	1,960	479	797.4	Bright	sZ	409
01.B38VXP286G	28.6	1,960	479	797.4	Bright	zZ	409
01.B48VXP286G	28.6	1,960	479	797.4	Bright	sS	409
01.G33VXP286H	28.6	2,160	479	868.4	Galvanized	sZ	409
01.G38VXP286H	28.6	2,160	479	868.4	Galvanized	zZ	409
01.G48VXP286H	28.6	2,160	479	868.4	Galvanized	sS	409
01.B33VXP286H	28.6	2,160	479	868.4	Bright	sZ	409
01.B38VXP286H	28.6	2,160	479	868.4	Bright	zZ	409
01.B48VXP286H	28.6	2,160	479	868.4	Bright	sS	409
01.G33VXP290G	29	1,960	492	819.8	Galvanized	sZ	421
01.G38VXP290G	29	1,960	492	819.8	Galvanized	zZ	421
01.G48VXP290G	29	1,960	492	819.8	Galvanized	sS	421
01.B33VXP290G	29	1,960	492	819.8	Bright	sZ	421
01.B38VXP290G	29	1,960	492	819.8	Bright	zZ	421

01.B48VXP290G	29	1,960	492	819.8	Bright	sS	421
01.G33VXP290H	29	2,160	492	892.8	Galvanized	sZ	421
01.G38VXP290H	29	2,160	492	892.8	Galvanized	zZ	421
01.G48VXP290H	29	2,160	492	892.8	Galvanized	sS	421
01.B33VXP290H	29	2,160	492	892.8	Bright	sZ	421
01.B38VXP290H	29	2,160	492	892.8	Bright	zZ	421
01.B48VXP290H	29	2,160	492	892.8	Bright	sS	421
01.G33VXP300G	30	1,960	527	877.3	Galvanized	sZ	450
01.G38VXP300G	30	1,960	527	877.3	Galvanized	zZ	450
01.G48VXP300G	30	1,960	527	877.3	Galvanized	sS	450
01.B33VXP300G	30	1,960	527	877.3	Bright	sZ	450
01.B38VXP300G	30	1,960	527	877.3	Bright	zZ	450
01.B48VXP300G	30	1,960	527	877.3	Bright	sS	450
01.G33VXP300H	30	2,160	527	955.5	Galvanized	sZ	450
01.G38VXP300H	30	2,160	527	955.5	Galvanized	zZ	450
01.G48VXP300H	30	2,160	527	955.5	Galvanized	sS	450
01.B33VXP300H	30	2,160	527	955.5	Bright	sZ	450
01.B38VXP300H	30	2,160	527	955.5	Bright	zZ	450
01.B48VXP300H	30	2,160	527	955.5	Bright	sS	450
01.G33VXP310G	31	1,960	562	936.8	Galvanized	sZ	481
01.G38VXP310G	31	1,960	562	936.8	Galvanized	zZ	481
01.G48VXP310G	31	1,960	562	936.8	Galvanized	sS	481
01.B33VXP310G	31	1,960	562	936.8	Bright	sZ	481

01.B38VXP310G	31	1,960	562	936.8	Bright	zZ	481
01.B48VXP310G	31	1,960	562	936.8	Bright	sS	481
01.G33VXP310H	31	2,160	562	1,020	Galvanized	sZ	481
01.G38VXP310H	31	2,160	562	1,020	Galvanized	zZ	481
01.G48VXP310H	31	2,160	562	1,020	Galvanized	sS	481
01.B33VXP310H	31	2,160	562	1,020	Bright	sZ	481
01.B38VXP310H	31	2,160	562	1,020	Bright	zZ	481
01.B48VXP310H	31	2,160	562	1,020	Bright	sS	481
01.G33VXP320G	32	1,960	599	998.2	Galvanized	sZ	512
01.G38VXP320G	32	1,960	599	998.2	Galvanized	zZ	512
01.G48VXP320G	32	1,960	599	998.2	Galvanized	sS	512
01.B33VXP320G	32	1,960	599	998.2	Bright	sZ	512
01.B38VXP320G	32	1,960	599	998.2	Bright	zZ	512
01.B48VXP320G	32	1,960	599	998.2	Bright	sS	512
01.G33VXP320H	32	2,160	599	1,087	Galvanized	sZ	512
01.G38VXP320H	32	2,160	599	1,087	Galvanized	zZ	512
01.G48VXP320H	32	2,160	599	1,087	Galvanized	sS	512
01.B33VXP320H	32	2,160	599	1,087	Bright	sZ	512
01.B38VXP320H	32	2,160	599	1,087	Bright	zZ	512
01.B48VXP320H	32	2,160	599	1,087	Bright	sS	512
01.G33VXP330G	33	1,960	637	1,062	Galvanized	sZ	545
01.G38VXP330G	33	1,960	637	1,062	Galvanized	zZ	545
01.G48VXP330G	33	1,960	637	1,062	Galvanized	sS	545

01.B33VXP330G	33	1,960	637	1,062	Bright	sZ	545
01.B38VXP330G	33	1,960	637	1,062	Bright	zZ	545
01.B48VXP330G	33	1,960	637	1,062	Bright	sS	545
01.G33VXP330H	33	2,160	637	1,156	Galvanized	sZ	545
01.G38VXP330H	33	2,160	637	1,156	Galvanized	zZ	545
01.G48VXP330H	33	2,160	637	1,156	Galvanized	sS	545
01.B33VXP330H	33	2,160	637	1,156	Bright	sZ	545
01.B38VXP330H	33	2,160	637	1,156	Bright	zZ	545
01.B48VXP330H	33	2,160	637	1,156	Bright	sS	545
01.G33VXP340G	34	1,960	676	1,127	Galvanized	sZ	578
01.G38VXP340G	34	1,960	676	1,127	Galvanized	zZ	578
01.G48VXP340G	34	1,960	676	1,127	Galvanized	sS	578
01.B33VXP340G	34	1,960	676	1,127	Bright	sZ	578
01.B38VXP340G	34	1,960	676	1,127	Bright	zZ	578
01.B48VXP340G	34	1,960	676	1,127	Bright	sS	578
01.G33VXP340H	34	2,160	676	1,227	Galvanized	sZ	578
01.G38VXP340H	34	2,160	676	1,227	Galvanized	zZ	578
01.G48VXP340H	34	2,160	676	1,227	Galvanized	sS	578
01.B33VXP340H	34	2,160	676	1,227	Bright	sZ	578
01.B38VXP340H	34	2,160	676	1,227	Bright	zZ	578
01.B48VXP340H	34	2,160	676	1,227	Bright	sS	578
01.G33VXP350G	35	1,960	717	1,194	Galvanized	sZ	613
01.G38VXP350G	35	1,960	717	1,194	Galvanized	zZ	613

01.G48VXP350G	35	1,960	717	1,194	Galvanized	sS	613
01.B33VXP350G	35	1,960	717	1,194	Bright	sZ	613
01.B38VXP350G	35	1,960	717	1,194	Bright	zZ	613
01.B48VXP350G	35	1,960	717	1,194	Bright	sS	613
01.G33VXP350H	35	2,160	717	1,301	Galvanized	sZ	613
01.G38VXP350H	35	2,160	717	1,301	Galvanized	zZ	613
01.G48VXP350H	35	2,160	717	1,301	Galvanized	sS	613
01.B33VXP350H	35	2,160	717	1,301	Bright	sZ	613
01.B38VXP350H	35	2,160	717	1,301	Bright	zZ	613
01.B48VXP350H	35	2,160	717	1,301	Bright	sS	613
01.G33VXP360G	36	1,960	758	1,263	Galvanized	sZ	648
01.G38VXP360G	36	1,960	758	1,263	Galvanized	zZ	648
01.G48VXP360G	36	1,960	758	1,263	Galvanized	sS	648
01.B33VXP360G	36	1,960	758	1,263	Bright	sZ	648
01.B38VXP360G	36	1,960	758	1,263	Bright	zZ	648
01.B48VXP360G	36	1,960	758	1,263	Bright	sS	648
01.G33VXP360H	36	2,160	758	1,376	Galvanized	sZ	648
01.G38VXP360H	36	2,160	758	1,376	Galvanized	zZ	648
01.G48VXP360H	36	2,160	758	1,376	Galvanized	sS	648
01.B33VXP360H	36	2,160	758	1,376	Bright	sZ	648
01.B38VXP360H	36	2,160	758	1,376	Bright	zZ	648
01.B48VXP360H	36	2,160	758	1,376	Bright	sS	648
01.G33VXP380G	38	1,960	845	1,408	Galvanized	sZ	722



01.G38VXP380G	38	1,960	845	1,408	Galvanized	zZ	722
01.G48VXP380G	38	1,960	845	1,408	Galvanized	sS	722
01.B33VXP380G	38	1,960	845	1,408	Bright	sZ	722
01.B38VXP380G	38	1,960	845	1,408	Bright	zZ	722
01.B48VXP380G	38	1,960	845	1,408	Bright	sS	722
01.G33VXP380H	38	2,160	845	1,533	Galvanized	sZ	722
01.G38VXP380H	38	2,160	845	1,533	Galvanized	zZ	722
01.G48VXP380H	38	2,160	845	1,533	Galvanized	sS	722
01.B33VXP380H	38	2,160	845	1,533	Bright	sZ	722
01.B38VXP380H	38	2,160	845	1,533	Bright	zZ	722
01.B48VXP380H	38	2,160	845	1,533	Bright	sS	722
01.G33VXP400G	40	1,960	936	1,560	Galvanized	sZ	800
01.G38VXP400G	40	1,960	936	1,560	Galvanized	zZ	800
01.G48VXP400G	40	1,960	936	1,560	Galvanized	sS	800
01.B33VXP400G	40	1,960	936	1,560	Bright	sZ	800
01.B38VXP400G	40	1,960	936	1,560	Bright	zZ	800
01.B48VXP400G	40	1,960	936	1,560	Bright	sS	800
01.G33VXP400H	40	2,160	936	1,699	Galvanized	sZ	800
01.G38VXP400H	40	2,160	936	1,699	Galvanized	zZ	800
01.G48VXP400H	40	2,160	936	1,699	Galvanized	sS	800
01.B33VXP400H	40	2,160	936	1,699	Bright	sZ	800
01.B38VXP400H	40	2,160	936	1,699	Bright	zZ	800
01.B48VXP400H	40	2,160	936	1,699	Bright	sS	800

01.G33VXP413G	41.3	1,960	998	1,663	Galvanized	sZ	853
01.G38VXP413G	41.3	1,960	998	1,663	Galvanized	zZ	853
01.G48VXP413G	41.3	1,960	998	1,663	Galvanized	sS	853
01.B33VXP413G	41.3	1,960	998	1,663	Bright	sZ	853
01.B38VXP413G	41.3	1,960	998	1,663	Bright	zZ	853
01.B48VXP413G	41.3	1,960	998	1,663	Bright	sS	853
01.G33VXP413H	41.3	2,160	998	1,811	Galvanized	sZ	853
01.G38VXP413H	41.3	2,160	998	1,811	Galvanized	zZ	853
01.G48VXP413H	41.3	2,160	998	1,811	Galvanized	sS	853
01.B33VXP413H	41.3	2,160	998	1,811	Bright	sZ	853
01.B38VXP413H	41.3	2,160	998	1,811	Bright	zZ	853
01.B48VXP413H	41.3	2,160	998	1,811	Bright	sS	853
01.G33VXP420G	42	1,960	1,032	1,720	Galvanized	sZ	883
01.G38VXP420G	42	1,960	1,032	1,720	Galvanized	zZ	883
01.G48VXP420G	42	1,960	1,032	1,720	Galvanized	sS	883
01.B33VXP420G	42	1,960	1,032	1,720	Bright	sZ	883
01.B38VXP420G	42	1,960	1,032	1,720	Bright	zZ	883
01.B48VXP420G	42	1,960	1,032	1,720	Bright	sS	883
01.G33VXP420H	42	2,160	1,032	1,873	Galvanized	sZ	883
01.G38VXP420H	42	2,160	1,032	1,873	Galvanized	zZ	883
01.G48VXP420H	42	2,160	1,032	1,873	Galvanized	sS	883
01.B33VXP420H	42	2,160	1,032	1,873	Bright	sZ	883
01.B38VXP420H	42	2,160	1,032	1,873	Bright	zZ	883

01.B48VXP420H	42	2,160	1,032	1,873	Bright	sS	883
01.G33VXP440G	44	1,960	1,133	1,887	Galvanized	sZ	969
01.G38VXP440G	44	1,960	1,133	1,887	Galvanized	zZ	969
01.G48VXP440G	44	1,960	1,133	1,887	Galvanized	sS	969
01.B33VXP440G	44	1,960	1,133	1,887	Bright	sZ	969
01.B38VXP440G	44	1,960	1,133	1,887	Bright	zZ	969
01.B48VXP440G	44	1,960	1,133	1,887	Bright	sS	969
01.G33VXP440H	44	2,160	1,133	2,055	Galvanized	sZ	969
01.G38VXP440H	44	2,160	1,133	2,055	Galvanized	zZ	969
01.G48VXP440H	44	2,160	1,133	2,055	Galvanized	sS	969
01.B33VXP440H	44	2,160	1,133	2,055	Bright	sZ	969
01.B38VXP440H	44	2,160	1,133	2,055	Bright	zZ	969
01.B48VXP440H	44	2,160	1,133	2,055	Bright	sS	969
01.G33VXP450G	45	1,960	1,185	1,974	Galvanized	sZ	1,013
01.G38VXP450G	45	1,960	1,185	1,974	Galvanized	zZ	1,013
01.G48VXP450G	45	1,960	1,185	1,974	Galvanized	sS	1,013
01.B33VXP450G	45	1,960	1,185	1,974	Bright	sZ	1,013
01.B38VXP450G	45	1,960	1,185	1,974	Bright	zZ	1,013
01.B48VXP450G	45	1,960	1,185	1,974	Bright	sS	1,013
01.G33VXP450H	45	2,160	1,185	2,150	Galvanized	sZ	1,013
01.G38VXP450H	45	2,160	1,185	2,150	Galvanized	zZ	1,013
01.G48VXP450H	45	2,160	1,185	2,150	Galvanized	sS	1,013
01.B33VXP450H	45	2,160	1,185	2,150	Bright	sZ	1,013

01.B38VXP450H	45	2,160	1,185	2,150	Bright	zZ	1,013
01.B48VXP450H	45	2,160	1,185	2,150	Bright	sS	1,013
01.G33VXP460G	46	1,960	1,238	2,063	Galvanized	sZ	1,059
01.G38VXP460G	46	1,960	1,238	2,063	Galvanized	zZ	1,059
01.G48VXP460G	46	1,960	1,238	2,063	Galvanized	sS	1,059
01.B33VXP460G	46	1,960	1,238	2,063	Bright	sZ	1,059
01.B38VXP460G	46	1,960	1,238	2,063	Bright	zZ	1,059
01.B48VXP460G	46	1,960	1,238	2,063	Bright	sS	1,059
01.G33VXP460H	46	2,160	1,238	2,246	Galvanized	sZ	1,059
01.G38VXP460H	46	2,160	1,238	2,246	Galvanized	zZ	1,059
01.G48VXP460H	46	2,160	1,238	2,246	Galvanized	sS	1,059
01.B33VXP460H	46	2,160	1,238	2,246	Bright	sZ	1,059
01.B38VXP460H	46	2,160	1,238	2,246	Bright	zZ	1,059
01.B48VXP460H	46	2,160	1,238	2,246	Bright	sS	1,059
01.G33VXP475G	47.5	1,960	1,320	2,199	Galvanized	sZ	1,129
01.G38VXP475G	47.5	1,960	1,320	2,199	Galvanized	zZ	1,129
01.G48VXP475G	47.5	1,960	1,320	2,199	Galvanized	sS	1,129
01.B33VXP475G	47.5	1,960	1,320	2,199	Bright	sZ	1,129
01.B38VXP475G	47.5	1,960	1,320	2,199	Bright	zZ	1,129
01.B48VXP475G	47.5	1,960	1,320	2,199	Bright	sS	1,129
01.G33VXP475H	47.5	2,160	1,320	2,395	Galvanized	sZ	1,129
01.G38VXP475H	47.5	2,160	1,320	2,395	Galvanized	zZ	1,129
01.G48VXP475H	47.5	2,160	1,320	2,395	Galvanized	sS	1,129

01.B33VXP475H	47.5	2,160	1,320	2,395	Bright	sZ	1,129
01.B38VXP475H	47.5	2,160	1,320	2,395	Bright	zZ	1,129
01.B48VXP475H	47.5	2,160	1,320	2,395	Bright	sS	1,129
01.G33VXP480G	48	1,960	1,347	2,246	Galvanized	sZ	1,153
01.G38VXP480G	48	1,960	1,347	2,246	Galvanized	zZ	1,153
01.G48VXP480G	48	1,960	1,347	2,246	Galvanized	sS	1,153
01.B33VXP480G	48	1,960	1,347	2,246	Bright	sZ	1,153
01.B38VXP480G	48	1,960	1,347	2,246	Bright	zZ	1,153
01.B48VXP480G	48	1,960	1,347	2,246	Bright	sS	1,153
01.G33VXP480H	48	2,160	1,347	2,446	Galvanized	sZ	1,153
01.G38VXP480H	48	2,160	1,347	2,446	Galvanized	zZ	1,153
01.G48VXP480H	48	2,160	1,347	2,446	Galvanized	sS	1,153
01.B33VXP480H	48	2,160	1,347	2,446	Bright	sZ	1,153
01.B38VXP480H	48	2,160	1,347	2,446	Bright	zZ	1,153
01.B48VXP480H	48	2,160	1,347	2,446	Bright	sS	1,153

## Technical data