

Steel Wire Rope 6x36WS-FC

Product information



ISO 4309 Rope Category No: RCN.09

Rope construction: 6x36WS-FC

Marking: According to standard

Standard: EN 12385-4


Fill factor: 0.5

RCN: 09

Slings



Overhead cranes



Part Code	Rope Diameter,	Tensile strength N/mm ²	Steel area mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.B10216080E	8	1,770	25.2	37.4	Bright	sZ	24
01.B20216080E	8	1,770	25.2	37.4	Bright	zS	24
01.G10216080E	8	1,770	25.2	37.4	Galvanized	sZ	24
01.G20216080E	8	1,770	25.2	37.4	Galvanized	zS	24

01.B10216080G	8	1,960	25.2	41.4	Bright	sZ	24
01.B20216080G	8	1,960	25.2	41.4	Bright	zS	24
01.G10216080G	8	1,960	25.2	41.4	Galvanized	sZ	24
01.G20216080G	8	1,960	25.2	41.4	Galvanized	zS	24
01.B10216080H	8	2,160	25.2	45.6	Bright	sZ	24
01.B20216080H	8	2,160	25.2	45.6	Bright	zS	24
01.G10216080H	8	2,160	25.2	45.6	Galvanized	sZ	24
01.G20216080H	8	2,160	25.2	45.6	Galvanized	zS	24
01.B10216090E	9	1,770	31.8	47.3	Bright	sZ	30
01.B20216090E	9	1,770	31.8	47.3	Bright	zS	30
01.G10216090E	9	1,770	31.8	47.3	Galvanized	sZ	30
01.G20216090E	9	1,770	31.8	47.3	Galvanized	zS	30
01.B10216090G	9	1,960	31.8	52.4	Bright	sZ	30
01.B20216090G	9	1,960	31.8	52.4	Bright	zS	30
01.G10216090G	9	1,960	31.8	52.4	Galvanized	sZ	30
01.G20216090G	9	1,960	31.8	52.4	Galvanized	zS	30
01.B10216090H	9	2,160	31.8	57.7	Bright	sZ	30
01.B20216090H	9	2,160	31.8	57.7	Bright	zS	30
01.G10216090H	9	2,160	31.8	57.7	Galvanized	sZ	30
01.G20216090H	9	2,160	31.8	57.7	Galvanized	zS	30
01.B10216100E	10	1,770	39.3	58.4	Bright	sZ	37
01.B20216100E	10	1,770	39.3	58.4	Bright	zS	37
01.G10216100E	10	1,770	39.3	58.4	Galvanized	sZ	37

01.G20216100E	10	1,770	39.3	58.4	Galvanized	zS	37
01.B10216100G	10	1,960	39.3	64.7	Bright	sZ	37
01.B20216100G	10	1,960	39.3	64.7	Bright	zS	37
01.G10216100G	10	1,960	39.3	64.7	Galvanized	sZ	37
01.G20216100G	10	1,960	39.3	64.7	Galvanized	zS	37
01.B10216100H	10	2,160	39.3	71.3	Bright	sZ	37
01.B20216100H	10	2,160	39.3	71.3	Bright	zS	37
01.G10216100H	10	2,160	39.3	71.3	Galvanized	sZ	37
01.G20216100H	10	2,160	39.3	71.3	Galvanized	zS	37
01.B10216110E	11	1,770	47.6	70.7	Bright	sZ	44
01.B20216110E	11	1,770	47.6	70.7	Bright	zS	44
01.G10216110E	11	1,770	47.6	70.7	Galvanized	sZ	44
01.G20216110E	11	1,770	47.6	70.7	Galvanized	zS	44
01.B10216110G	11	1,960	47.6	78.3	Bright	sZ	44
01.B20216110G	11	1,960	47.6	78.3	Bright	zS	44
01.G10216110G	11	1,960	47.6	78.3	Galvanized	sZ	44
01.G20216110G	11	1,960	47.6	78.3	Galvanized	zS	44
01.B10216110H	11	2,160	47.6	86.2	Bright	sZ	44
01.B20216110H	11	2,160	47.6	86.2	Bright	zS	44
01.G10216110H	11	2,160	47.6	86.2	Galvanized	sZ	44
01.G20216110H	11	2,160	47.6	86.2	Galvanized	zS	44
01.B10216120E	12	1,770	56.6	84.1	Bright	sZ	53
01.B20216120E	12	1,770	56.6	84.1	Bright	zS	53

01.G10216120E	12	1,770	56.6	84.1	Galvanized	sZ	53
01.G20216120E	12	1,770	56.6	84.1	Galvanized	zS	53
01.B10216120G	12	1,960	56.6	93.1	Bright	sZ	53
01.B20216120G	12	1,960	56.6	93.1	Bright	zS	53
01.G10216120G	12	1,960	56.6	93.1	Galvanized	sZ	53
01.G20216120G	12	1,960	56.6	93.1	Galvanized	zS	53
01.B10216120H	12	2,160	56.6	103	Bright	sZ	53
01.B20216120H	12	2,160	56.6	103	Bright	zS	53
01.G10216120H	12	2,160	56.6	103	Galvanized	sZ	53
01.G20216120H	12	2,160	56.6	103	Galvanized	zS	53
01.B10216130E	13	1,770	66.4	98.7	Bright	sZ	62
01.B20216130E	13	1,770	66.4	98.7	Bright	zS	62
01.G10216130E	13	1,770	66.4	98.7	Galvanized	sZ	62
01.G20216130E	13	1,770	66.4	98.7	Galvanized	zS	62
01.B10216130G	13	1,960	66.4	109	Bright	sZ	62
01.B20216130G	13	1,960	66.4	109	Bright	zS	62
01.G10216130G	13	1,960	66.4	109	Galvanized	sZ	62
01.G20216130G	13	1,960	66.4	109	Galvanized	zS	62
01.B10216130H	13	2,160	66.4	120	Bright	sZ	62
01.B20216130H	13	2,160	66.4	120	Bright	zS	62
01.G10216130H	13	2,160	66.4	120	Galvanized	sZ	62
01.G20216130H	13	2,160	66.4	120	Galvanized	zS	62
01.B10216140E	14	1,770	77	114	Bright	sZ	72

01.B20216140E	14	1,770	77	114	Bright	zS	72
01.G10216140E	14	1,770	77	114	Galvanized	sZ	72
01.G20216140E	14	1,770	77	114	Galvanized	zS	72
01.B10216140G	14	1,960	77	127	Bright	sZ	72
01.B20216140G	14	1,960	77	127	Bright	zS	72
01.G10216140G	14	1,960	77	127	Galvanized	sZ	72
01.G20216140G	14	1,960	77	127	Galvanized	zS	72
01.B10216140H	14	2,160	77	140	Bright	sZ	72
01.B20216140H	14	2,160	77	140	Bright	zS	72
01.G10216140H	14	2,160	77	140	Galvanized	sZ	72
01.G20216140H	14	2,160	77	140	Galvanized	zS	72
01.B10216160E	16	1,770	101	150	Bright	sZ	94
01.B20216160E	16	1,770	101	150	Bright	zS	94
01.G10216160E	16	1,770	101	150	Galvanized	sZ	94
01.G20216160E	16	1,770	101	150	Galvanized	zS	94
01.B10216160G	16	1,960	101	166	Bright	sZ	94
01.B20216160G	16	1,960	101	166	Bright	zS	94
01.G10216160G	16	1,960	101	166	Galvanized	sZ	94
01.G20216160G	16	1,960	101	166	Galvanized	zS	94
01.B10216160H	16	2,160	101	182	Bright	sZ	94
01.B20216160H	16	2,160	101	182	Bright	zS	94
01.G10216160H	16	2,160	101	182	Galvanized	sZ	94
01.G20216160H	16	2,160	101	182	Galvanized	zS	94

01.B10216180E	18	1,770	127	189	Bright	sZ	119
01.B20216180E	18	1,770	127	189	Bright	zS	119
01.G10216180E	18	1,770	127	189	Galvanized	sZ	119
01.G20216180E	18	1,770	127	189	Galvanized	zS	119
01.B10216180G	18	1,960	127	210	Bright	sZ	119
01.B20216180G	18	1,960	127	210	Bright	zS	119
01.G10216180G	18	1,960	127	210	Galvanized	sZ	119
01.G20216180G	18	1,960	127	210	Galvanized	zS	119
01.B10216180H	18	2,160	127	231	Bright	sZ	119
01.B20216180H	18	2,160	127	231	Bright	zS	119
01.G10216180H	18	2,160	127	231	Galvanized	sZ	119
01.G20216180H	18	2,160	127	231	Galvanized	zS	119
01.B10216190E	19	1,770	142	211	Bright	sZ	132
01.B20216190E	19	1,770	142	211	Bright	zS	132
01.G10216190E	19	1,770	142	211	Galvanized	sZ	132
01.G20216190E	19	1,770	142	211	Galvanized	zS	132
01.B10216190G	19	1,960	142	233	Bright	sZ	132
01.B20216190G	19	1,960	142	233	Bright	zS	132
01.G10216190G	19	1,960	142	233	Galvanized	sZ	132
01.G20216190G	19	1,960	142	233	Galvanized	zS	132
01.B10216190H	19	2,160	142	257	Bright	sZ	132
01.B20216190H	19	2,160	142	257	Bright	zS	132
01.G10216190H	19	2,160	142	257	Galvanized	sZ	132

01.G20216190H	19	2,160	142	257	Galvanized	zS	132
01.B10216200E	20	1,770	157	234	Bright	sZ	147
01.B20216200E	20	1,770	157	234	Bright	zS	147
01.G10216200E	20	1,770	157	234	Galvanized	sZ	147
01.G20216200E	20	1,770	157	234	Galvanized	zS	147
01.B10216200G	20	1,960	157	259	Bright	sZ	147
01.B20216200G	20	1,960	157	259	Bright	zS	147
01.G10216200G	20	1,960	157	259	Galvanized	sZ	147
01.G20216200G	20	1,960	157	259	Galvanized	zS	147
01.B10216200H	20	2,160	157	285	Bright	sZ	147
01.B20216200H	20	2,160	157	285	Bright	zS	147
01.G10216200H	20	2,160	157	285	Galvanized	sZ	147
01.G20216200H	20	2,160	157	285	Galvanized	zS	147
01.B10216220E	22	1,770	190	283	Bright	sZ	178
01.B20216220E	22	1,770	190	283	Bright	zS	178
01.G10216220E	22	1,770	190	283	Galvanized	sZ	178
01.G20216220E	22	1,770	190	283	Galvanized	zS	178
01.B10216220G	22	1,960	190	313	Bright	sZ	178
01.B20216220G	22	1,960	190	313	Bright	zS	178
01.G10216220G	22	1,960	190	313	Galvanized	sZ	178
01.G20216220G	22	1,960	190	313	Galvanized	zS	178
01.B10216220H	22	2,160	190	345	Bright	sZ	178
01.B20216220H	22	2,160	190	345	Bright	zS	178

01.G10216220H	22	2,160	190	345	Galvanized	sZ	178
01.G20216220H	22	2,160	190	345	Galvanized	zS	178
01.B10216240E	24	1,770	226	336	Bright	sZ	211
01.B20216240E	24	1,770	226	336	Bright	zS	211
01.G10216240E	24	1,770	226	336	Galvanized	sZ	211
01.G20216240E	24	1,770	226	336	Galvanized	zS	211
01.B10216240G	24	1,960	226	373	Bright	sZ	211
01.B20216240G	24	1,960	226	373	Bright	zS	211
01.G10216240G	24	1,960	226	373	Galvanized	sZ	211
01.G20216240G	24	1,960	226	373	Galvanized	zS	211
01.B10216240H	24	2,160	226	411	Bright	sZ	211
01.B20216240H	24	2,160	226	411	Bright	zS	211
01.G10216240H	24	2,160	226	411	Galvanized	sZ	211
01.G20216240H	24	2,160	226	411	Galvanized	zS	211
01.B10216260E	26	1,770	266	395	Bright	sZ	248
01.B20216260E	26	1,770	266	395	Bright	zS	248
01.G10216260E	26	1,770	266	395	Galvanized	sZ	248
01.G20216260E	26	1,770	266	395	Galvanized	zS	248
01.B10216260G	26	1,960	266	437	Bright	sZ	248
01.B20216260G	26	1,960	266	437	Bright	zS	248
01.G10216260G	26	1,960	266	437	Galvanized	sZ	248
01.G20216260G	26	1,960	266	437	Galvanized	zS	248
01.B10216260H	26	2,160	266	482	Bright	sZ	248

01.B20216260H	26	2,160	266	482	Bright	zS	248
01.G10216260H	26	2,160	266	482	Galvanized	sZ	248
01.G20216260H	26	2,160	266	482	Galvanized	zS	248
01.B10216280E	28	1,770	308	458	Bright	sZ	288
01.B20216280E	28	1,770	308	458	Bright	zS	288
01.G10216280E	28	1,770	308	458	Galvanized	sZ	288
01.G20216280E	28	1,770	308	458	Galvanized	zS	288
01.B10216280G	28	1,960	308	507	Bright	sZ	288
01.B20216280G	28	1,960	308	507	Bright	zS	288
01.G10216280G	28	1,960	308	507	Galvanized	sZ	288
01.G20216280G	28	1,960	308	507	Galvanized	zS	288
01.B10216280H	28	2,160	308	559	Bright	sZ	288
01.B20216280H	28	2,160	308	559	Bright	zS	288
01.G10216280H	28	2,160	308	559	Galvanized	sZ	288
01.G20216280H	28	2,160	308	559	Galvanized	zS	288
01.B10216300E	30	1,770	354	526	Bright	sZ	330
01.B20216300E	30	1,770	354	526	Bright	zS	330
01.G10216300E	30	1,770	354	526	Galvanized	sZ	330
01.G20216300E	30	1,770	354	526	Galvanized	zS	330
01.B10216300G	30	1,960	354	582	Bright	sZ	330
01.B20216300G	30	1,960	354	582	Bright	zS	330
01.G10216300G	30	1,960	354	582	Galvanized	sZ	330
01.G20216300G	30	1,960	354	582	Galvanized	zS	330

01.B10216300H	30	2,160	354	642	Bright	sZ	330
01.B20216300H	30	2,160	354	642	Bright	zS	330
01.G10216300H	30	2,160	354	642	Galvanized	sZ	330
01.G20216300H	30	2,160	354	642	Galvanized	zS	330
01.B10216320E	32	1,770	402	598	Bright	sZ	376
01.B20216320E	32	1,770	402	598	Bright	zS	376
01.G10216320E	32	1,770	402	598	Galvanized	sZ	376
01.G20216320E	32	1,770	402	598	Galvanized	zS	376
01.B10216320G	32	1,960	402	662	Bright	sZ	376
01.B20216320G	32	1,960	402	662	Bright	zS	376
01.G10216320G	32	1,960	402	662	Galvanized	sZ	376
01.G20216320G	32	1,960	402	662	Galvanized	zS	376
01.B10216320H	32	2,160	402	730	Bright	sZ	376
01.B20216320H	32	2,160	402	730	Bright	zS	376
01.G10216320H	32	2,160	402	730	Galvanized	sZ	376
01.G20216320H	32	2,160	402	730	Galvanized	zS	376
01.B10216360E	36	1,770	509	757	Bright	sZ	476
01.B20216360E	36	1,770	509	757	Bright	zS	476
01.G10216360E	36	1,770	509	757	Galvanized	sZ	476
01.G20216360E	36	1,770	509	757	Galvanized	zS	476
01.B10216360G	36	1,960	509	838	Bright	sZ	476
01.B20216360G	36	1,960	509	838	Bright	zS	476
01.G10216360G	36	1,960	509	838	Galvanized	sZ	476

01.G20216360G	36	1,960	509	838	Galvanized	zS	476
01.B10216360H	36	2,160	509	924	Bright	sZ	476
01.B20216360H	36	2,160	509	924	Bright	zS	476
01.G10216360H	36	2,160	509	924	Galvanized	sZ	476
01.G20216360H	36	2,160	509	924	Galvanized	zS	476
01.B10216380E	38	1,770	567	843	Bright	sZ	530
01.B20216380E	38	1,770	567	843	Bright	zS	530
01.G10216380E	38	1,770	567	843	Galvanized	sZ	530
01.G20216380E	38	1,770	567	843	Galvanized	zS	530
01.B10216380G	38	1,960	567	934	Bright	sZ	530
01.B20216380G	38	1,960	567	934	Bright	zS	530
01.G10216380G	38	1,960	567	934	Galvanized	sZ	530
01.G20216380G	38	1,960	567	934	Galvanized	zS	530
01.B10216380H	38	2,160	567	1,029	Bright	sZ	530
01.B20216380H	38	2,160	567	1,029	Bright	zS	530
01.G10216380H	38	2,160	567	1,029	Galvanized	sZ	530
01.G20216380H	38	2,160	567	1,029	Galvanized	zS	530
01.B10216400E	40	1,770	629	935	Bright	sZ	587
01.B20216400E	40	1,770	629	935	Bright	zS	587
01.G10216400E	40	1,770	629	935	Galvanized	sZ	587
01.G20216400E	40	1,770	629	935	Galvanized	zS	587
01.B10216400G	40	1,960	629	1,035	Bright	sZ	587
01.B20216400G	40	1,960	629	1,035	Bright	zS	587

01.G10216400G	40	1,960	629	1,035	Galvanized	sZ	587
01.G20216400G	40	1,960	629	1,035	Galvanized	zS	587
01.B10216400H	40	2,160	629	1,140	Bright	sZ	587
01.B20216400H	40	2,160	629	1,140	Bright	zS	587
01.G10216400H	40	2,160	629	1,140	Galvanized	sZ	587
01.G20216400H	40	2,160	629	1,140	Galvanized	zS	587
01.B10216420E	42	1,770	693	1,030	Bright	sZ	647
01.B20216420E	42	1,770	693	1,030	Bright	zS	647
01.G10216420E	42	1,770	693	1,030	Galvanized	sZ	647
01.G20216420E	42	1,770	693	1,030	Galvanized	zS	647
01.B10216420G	42	1,960	693	1,141	Bright	sZ	647
01.B20216420G	42	1,960	693	1,141	Bright	zS	647
01.G10216420G	42	1,960	693	1,141	Galvanized	sZ	647
01.G20216420G	42	1,960	693	1,141	Galvanized	zS	647
01.B10216420H	42	2,160	693	1,257	Bright	sZ	647
01.B20216420H	42	2,160	693	1,257	Bright	zS	647
01.G10216420H	42	2,160	693	1,257	Galvanized	sZ	647
01.G20216420H	42	2,160	693	1,257	Galvanized	zS	647
01.B10216440E	44	1,770	761	1,130	Bright	sZ	711
01.B20216440E	44	1,770	761	1,130	Bright	zS	711
01.G10216440E	44	1,770	761	1,130	Galvanized	sZ	711
01.G20216440E	44	1,770	761	1,130	Galvanized	zS	711
01.B10216440G	44	1,960	761	1,252	Bright	sZ	711

01.B20216440G	44	1,960	761	1,252	Bright	zS	711
01.G10216440G	44	1,960	761	1,252	Galvanized	sZ	711
01.G20216440G	44	1,960	761	1,252	Galvanized	zS	711
01.B10216440H	44	2,160	761	1,380	Bright	sZ	711
01.B20216440H	44	2,160	761	1,380	Bright	zS	711
01.G10216440H	44	2,160	761	1,380	Galvanized	sZ	711
01.G20216440H	44	2,160	761	1,380	Galvanized	zS	711
01.B10216480E	48	1,770	905	1,350	Bright	sZ	846
01.B20216480E	48	1,770	905	1,350	Bright	zS	846
01.G10216480E	48	1,770	905	1,350	Galvanized	sZ	846
01.G20216480E	48	1,770	905	1,350	Galvanized	zS	846
01.B10216480G	48	1,960	905	1,490	Bright	sZ	846
01.B20216480G	48	1,960	905	1,490	Bright	zS	846
01.G10216480G	48	1,960	905	1,490	Galvanized	sZ	846
01.G20216480G	48	1,960	905	1,490	Galvanized	zS	846
01.B10216480H	48	2,160	905	1,642	Bright	sZ	846
01.B20216480H	48	2,160	905	1,642	Bright	zS	846
01.G10216480H	48	2,160	905	1,642	Galvanized	sZ	846
01.G20216480H	48	2,160	905	1,642	Galvanized	zS	846
01.B10216520E	52	1,770	1,063	1,580	Bright	sZ	992
01.B20216520E	52	1,770	1,063	1,580	Bright	zS	992
01.G10216520E	52	1,770	1,063	1,580	Galvanized	sZ	992
01.G20216520E	52	1,770	1,063	1,580	Galvanized	zS	992

01.B10216520G	52	1,960	1,063	1,749	Bright	sZ	992
01.B20216520G	52	1,960	1,063	1,749	Bright	zS	992
01.G10216520G	52	1,960	1,063	1,749	Galvanized	sZ	992
01.G20216520G	52	1,960	1,063	1,749	Galvanized	zS	992
01.B10216520H	52	2,160	1,063	1,927	Bright	sZ	992
01.B20216520H	52	2,160	1,063	1,927	Bright	zS	992
01.G10216520H	52	2,160	1,063	1,927	Galvanized	sZ	992
01.G20216520H	52	2,160	1,063	1,927	Galvanized	zS	992
01.B10216560E	56	1,770	1,232	1,830	Bright	sZ	1,151
01.B20216560E	56	1,770	1,232	1,830	Bright	zS	1,151
01.G10216560E	56	1,770	1,232	1,830	Galvanized	sZ	1,151
01.G20216560E	56	1,770	1,232	1,830	Galvanized	zS	1,151
01.B10216560G	56	1,960	1,232	2,028	Bright	sZ	1,151
01.B20216560G	56	1,960	1,232	2,028	Bright	zS	1,151
01.G10216560G	56	1,960	1,232	2,028	Galvanized	sZ	1,151
01.G20216560G	56	1,960	1,232	2,028	Galvanized	zS	1,151
01.B10216560H	56	2,160	1,232	2,235	Bright	sZ	1,151
01.B20216560H	56	2,160	1,232	2,235	Bright	zS	1,151
01.G10216560H	56	2,160	1,232	2,235	Galvanized	sZ	1,151
01.G20216560H	56	2,160	1,232	2,235	Galvanized	zS	1,151
01.B10216600E	60	1,770	1,415	2,100	Bright	sZ	1,321
01.B20216600E	60	1,770	1,415	2,100	Bright	zS	1,321
01.G10216600E	60	1,770	1,415	2,100	Galvanized	sZ	1,321

01.G20216600E	60	1,770	1,415	2,100	Galvanized	zS	1,321
01.B10216600G	60	1,960	1,415	2,328	Bright	sZ	1,321
01.B20216600G	60	1,960	1,415	2,328	Bright	zS	1,321
01.G10216600G	60	1,960	1,415	2,328	Galvanized	sZ	1,321
01.G20216600G	60	1,960	1,415	2,328	Galvanized	zS	1,321
01.B10216600H	60	2,160	1,415	2,566	Bright	sZ	1,321
01.B20216600H	60	2,160	1,415	2,566	Bright	zS	1,321
01.G10216600H	60	2,160	1,415	2,566	Galvanized	sZ	1,321
01.G20216600H	60	2,160	1,415	2,566	Galvanized	zS	1,321