



Mobile crane



Crawler crane



Verotop S+

Product information



Wire rope construction: Verotop S+ is a very flexible rotation-resistant rope with compacted outer strands and extraordinary high breaking strength.

Features:

- The strongest of all compacted rotation-resistant ropes.
- Achieves very good bending fatigue results.
- Offers excellent resistance to crushing and abrasion.
- Possesses perfect spooling behavior on multilayer drum.
- Can be used either with or without swivel.

ISO 4309 Rope Category No: All Diameters RCN.23-2

Marking: According to standard

Standard: EN 12385-4

Fill factor: 0.742

Tolerance Ø: +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Steel area mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
01.B47VSP130G	13	1,960	98.4	179	Bright	sS	86.7
01.B37VSP130G	13	1,960	98.4	179	Bright	zZ	86.7
01.G47VSP130G	13	1,960	98.4	179	Galvanized	sS	86.7
01.G37VSP130G	13	1,960	98.4	179	Galvanized	zZ	86.7

01.B47VSP140G	14	1,960	114	208	Bright	sS	101
01.B37VSP140G	14	1,960	114	208	Bright	zZ	101
01.G47VSP140G	14	1,960	114	208	Galvanized	sS	101
01.G37VSP140G	14	1,960	114	208	Galvanized	zZ	101
01.B47VSP150G	15	1,960	131	239	Bright	sS	115
01.B37VSP150G	15	1,960	131	239	Bright	zZ	115
01.G47VSP150G	15	1,960	131	239	Galvanized	sS	115
01.G37VSP150G	15	1,960	131	239	Galvanized	zZ	115
01.B47VSP160G	16	1,960	149	271	Bright	sS	131
01.B37VSP160G	16	1,960	149	271	Bright	zZ	131
01.G47VSP160G	16	1,960	149	271	Galvanized	sS	131
01.G37VSP160G	16	1,960	149	271	Galvanized	zZ	131
01.B47VSP170G	17	1,960	168	306	Bright	sS	148
01.B37VSP170G	17	1,960	168	306	Bright	zZ	148
01.G47VSP170G	17	1,960	168	306	Galvanized	sS	148
01.G37VSP170G	17	1,960	168	306	Galvanized	zZ	148
01.B47VSP180G	18	1,960	189	343	Bright	sS	166
01.B37VSP180G	18	1,960	189	343	Bright	zZ	166
01.G47VSP180G	18	1,960	189	343	Galvanized	sS	166
01.G37VSP180G	18	1,960	189	343	Galvanized	zZ	166
01.B47VSP190G	19	1,960	210	383	Bright	sS	185
01.B37VSP190G	19	1,960	210	383	Bright	zZ	185
01.G47VSP190G	19	1,960	210	383	Galvanized	sS	185

01.G37VSP190G	19	1,960	210	383	Galvanized	zZ	185
01.B47VSP200G	20	1,960	233	424	Bright	sS	205
01.B37VSP200G	20	1,960	233	424	Bright	zZ	205
01.G47VSP200G	20	1,960	233	424	Galvanized	sS	205
01.G37VSP200G	20	1,960	233	424	Galvanized	zZ	205
01.B47VSP210G	21	1,960	257	467	Bright	sS	226
01.B37VSP210G	21	1,960	257	467	Bright	zZ	226
01.G47VSP210G	21	1,960	257	467	Galvanized	sS	226
01.G37VSP210G	21	1,960	257	467	Galvanized	zZ	226
01.B47VSP220G	22	1,960	289	513	Bright	sS	248
01.B37VSP220G	22	1,960	289	513	Bright	zZ	248
01.G47VSP220G	22	1,960	289	513	Galvanized	sS	248
01.G37VSP220G	22	1,960	289	513	Galvanized	zZ	248
01.B47VSP230G	23	1,960	308	561	Bright	sS	271
01.B37VSP230G	23	1,960	308	561	Bright	zZ	271
01.G47VSP230G	23	1,960	308	561	Galvanized	sS	271
01.G37VSP230G	23	1,960	308	561	Galvanized	zZ	271
01.B47VSP240G	24	1,960	336	611	Bright	sS	295
01.B37VSP240G	24	1,960	336	611	Bright	zZ	295
01.G47VSP240G	24	1,960	336	611	Galvanized	sS	295
01.G37VSP240G	24	1,960	336	611	Galvanized	zZ	295
01.B47VSP250G	25	1,960	364	663	Bright	sS	321
01.B37VSP250G	25	1,960	364	663	Bright	zZ	321

01.G47VSP250G	25	1,960	364	663	Galvanized	sS	321
01.G37VSP250G	25	1,960	364	663	Galvanized	zZ	321
01.B47VSP260G	26	1,960	394	717	Bright	sS	347
01.B37VSP260G	26	1,960	394	717	Bright	zZ	347
01.G47VSP260G	26	1,960	394	717	Galvanized	sS	347
01.G37VSP260G	26	1,960	394	717	Galvanized	zZ	347
01.B47VSP270G	27	1,960	425	773	Bright	sS	374
01.B37VSP270G	27	1,960	425	773	Bright	zZ	374
01.G47VSP270G	27	1,960	425	773	Galvanized	sS	374
01.G37VSP270G	27	1,960	425	773	Galvanized	zZ	374
01.B47VSP280G	28	1,960	457	831	Bright	sS	402
01.B37VSP280G	28	1,960	457	831	Bright	zZ	402
01.G47VSP280G	28	1,960	457	831	Galvanized	sS	402
01.G37VSP280G	28	1,960	457	831	Galvanized	zZ	402
01.B47VSP290G	29	1,960	490	891	Bright	sS	431
01.B37VSP290G	29	1,960	490	891	Bright	zZ	431
01.G47VSP290G	29	1,960	490	891	Galvanized	sS	431
01.G37VSP290G	29	1,960	490	891	Galvanized	zZ	431
01.B47VSP300G	30	1,960	524	954	Bright	sS	462
01.B37VSP300G	30	1,960	524	954	Bright	zZ	462
01.G47VSP300G	30	1,960	524	954	Galvanized	sS	462
01.G37VSP300G	30	1,960	524	954	Galvanized	zZ	462
01.B47VSP310G	31	1,960	560	1,019	Bright	sS	493

01.B37VSP310G	31	1,960	560	1,019	Bright	zZ	493
01.G47VSP310G	31	1,960	560	1,019	Galvanized	sS	493
01.G37VSP310G	31	1,960	560	1,019	Galvanized	zZ	493
01.B47VSP320G	32	1,960	596	1,085	Bright	sS	525
01.B37VSP320G	32	1,960	596	1,085	Bright	zZ	525
01.G47VSP320G	32	1,960	596	1,085	Galvanized	sS	525
01.G37VSP320G	32	1,960	596	1,085	Galvanized	zZ	525
01.B47VSP330G	33	1,960	634	1,154	Bright	sS	559
01.B37VSP330G	33	1,960	634	1,154	Bright	zZ	559
01.G47VSP330G	33	1,960	634	1,154	Galvanized	sS	559
01.G37VSP330G	33	1,960	634	1,154	Galvanized	zZ	559
01.B47VSP340G	34	1,960	673	1,225	Bright	sS	593
01.B37VSP340G	34	1,960	673	1,225	Bright	zZ	593
01.G47VSP340G	34	1,960	673	1,225	Galvanized	sS	593
01.G37VSP340G	34	1,960	673	1,225	Galvanized	zZ	593
01.B47VSP350G	35	1,960	714	1,298	Bright	sS	628
01.B37VSP350G	35	1,960	714	1,298	Bright	zZ	628
01.G47VSP350G	35	1,960	714	1,298	Galvanized	sS	628
01.G37VSP350G	35	1,960	714	1,298	Galvanized	zZ	628
01.B47VSP360G	36	1,960	755	1,374	Bright	sS	665
01.B37VSP360G	36	1,960	755	1,374	Bright	zZ	665
01.G47VSP360G	36	1,960	755	1,374	Galvanized	sS	665
01.G37VSP360G	36	1,960	755	1,374	Galvanized	zZ	665

01.B47VSP380G	38	1,960	841	1,531	Bright	sS	741
01.B37VSP380G	38	1,960	841	1,531	Bright	zZ	741
01.G47VSP380G	38	1,960	841	1,531	Galvanized	sS	741
01.G37VSP380G	38	1,960	841	1,531	Galvanized	zZ	741
01.B47VSP400G	40	1,960	932	1,696	Bright	sS	821
01.B37VSP400G	40	1,960	932	1,696	Bright	zZ	821
01.G47VSP400G	40	1,960	932	1,696	Galvanized	sS	821
01.G37VSP400G	40	1,960	932	1,696	Galvanized	zZ	821