



Turnbuckles TR Series Oval Eye - Oval Eye

Product information

General:

Closed body Turnbuckles oval eye/oval eye with trapezoid thread. Standard supplied with lock nuts.

Features:

- Standard painted blue, but can be supplied in any colour or galvanised.
- Available in all combinations of eyes, stud eyes and welding ends.
- Lock plates or special locking devices possible.
- Can be supplied with turning wheel or ratchet.
- Other sizes possible.

Temperature range: -40°C t/m +110° C at 100% capacity rating. Higher temperature possible with reduction of WLL.

Warning: Straight or in-line pull only.

Safety factor: 5.1

Part Code	WLL ton	Take up mm	Thread trap.	L min. mm	L max. mm	A mm	J mm	K mm	L mm	Weight kg
11.55410016022	1.6	167	22 x 5	450	617	240	16	26	58	2
11.55410020022	2	181	24 x 5	470	651	260	16	26	58	3
11.55410025022	2.5	215	28 x 5	534	749	280	20	32	72	5
11.55410031022	3.1	225	30 x 6	554	779	300	20	32	72	6
11.5540040022	4	232	32 x 6	630	862	320	25	40	94	8
11.55410050022	5	242	36 x 6	658	900	340	25	40	94	13
11.55410063022	6.3	270	44 x 7	753	1,023	380	30	45	108	19
11.55410080022	8	296	48 x 8	813	1,109	420	32	50	115	27
11.55410100022	10	306	52 x 8	866	1,172	460	36	60	125	35
11.55410126022	12.6	352	55 x 9	988	1,340	500	40	65	144	46
11.55410160022	16	366	65 x 10	1,070	1,436	540	45	70	163	58
11.55410200022	20	380	70 x 10	1,156	1,536	580	55	75	168	65
11.55410250022	25	402	75 x 10	1,270	1,672	620	60	80	192	90
11.55410315022	31.5	438	80 x 10	1,358	1,796	660	60	90	216	94

Blueprint

