

## Schijf PA cilindrische lager



### Productinformatie

#### Algemeen:

- De hier getoonde schijven zijn standaard types. Deze schijven kunnen op maat gemaakt worden.

Artikelnr.	Rope Ø range mm	Maat	Lager	ØD2 mm	ØG mm	R mm	ØD1 mm	ØD3 mm	E mm	F mm	Ød mm	Gewicht (kg)
10.35SE.260.5010.7.K	13	13	SL04 5010PP	260	50	7	300	272	34	40	13	2,9
10.35SE.285.5012.7.K	13	13	SL04 5012PP	285	60	7	325	297	34	46	13	3,9
10.35SE.352.5013.8,5.K	16	16	SL04 5013PP	352	65	8,5	400	368	42	46	16	5,6
10.35SE.352.5016.8,5.K	16	16	SL04 5016PP	352	80	8,5	400	368	50	60	16	7,6
10.35SE.400.5018.9,5.K	18	18	SL04 5018PP	400	90	10	460	418	60	67	18	10,81
10.35SE.400.160.9,5.K	18	18	SL04 160PP	400	160	10	460	418	72	80	18	13,54
10.35SE.400.5024.9,5.K	18	18	SL04 5024PP	400	120	10	460	418	72	80	18	14
10.35SE.482.5018.11,4.K	21	21	SL04 5018PP	482	90	11,5	560	503	62	67	21	14
10.35SE.482.160.11,4.K	21	21	SL04 160PP	482	160	11,5	560	503	72	80	21	17,2
10.35SE.482.5024.11,4.K	21	21	SL04 5024PP	482	120	11,5	560	503	72	80	21	17,54
10.35SE.528.5018.12.K	22	22	SL04 5018PP	528	90	12	596	550	60	67	22	15
10.35SE.528.5024.13.K	24	24	SL04 5024PP	528	120	13	596	552	72	80	24	20,9
10.35SE.528.160.13.K	24	24	SL04 160PP	528	120	13	596	552	72	80	24	22,1

# Maattekening

